

# Mounting Instructions for PIM Modules (Q0, Q1, Q2, F1, F2)

## AND9867/D

### Introduction

This application note covers the mounting instructions for **onsemi** Power Integrated Modules (PIMs) using the following packages:

- Q0
- Q1
- Q2
- F1
- F2

This application note covers the following topics

- PCB hole sizes and plating
- PCB design
- Heatsink and Thermal Interface Material (TIM)
- Press-in process
- Soldering process
- Mounting module to the heatsink
- Mounting heatsink and module to PCB

**onsemi** family of Power Integrated Modules has package options using solder pins or press-fit pins for the connection of the module to a Printed Circuit Board (PCB). Figure 1 shows a Q1 module with press-fit pins as an example.

After mounting, press-fit pins provide a cold-welding connection between pins and plated through holes (PTH) of the PCB. This easy assembly method avoids extra heating, avoids contamination and provides good mechanical and electrical performance. Press-fit assembly is a well-established connection method for power semiconductor modules. The press-fit pins provide a gas-tight metal to metal contact between the press-fit pin and the plated through hole (Figure 2).

Modules having solder pins are soldered into the PCB. Modules having press-fit pins can also be soldered into the PCB, but with larger holes than used for the standard press-fit process.

The purpose of this application note is to provide recommendations for the PCB and to recommend mounting and dismounting methods with proper tools to achieve the required reliability and performance with either press-fit or solder connections.




Figure 1. Q1 Module with PCB and Heatsink




Figure 2. Press-fit Process


## PCB SPECIFICATION

Correct design of the plated through holes (PTH) in the PCB is essential to obtain good quality press-fit or solder connections.

### PCB Specification

The schematic structure of a plated through hole is shown in Figure 3. If the initial drilled hole diameter is too small, the press-in force into the PTH will be too high and mechanical damage on both press-fit pin and PTH will occur. If the final hole diameter is too small, damage to the pin and the hole may also occur. If the final hole diameter is too large, it may not provide a reliable connection between plated through hole and press-fit pin.

The effect of the pad size in reducing the creepage and clearance between pins should always be considered in minimum permissible spacing calculations.



**Figure 3. Cross-section of PCB**

Tables 1–4 list the recommended PCB specification based on the evaluation of the press-fit technology according to the IEC 60352–5 standard.

### Specification for Modules with Press-fit Pins, Soldered to the PCB

It is not recommended that press-fins are just soldered without being pressed into the PCB in mass production. If modules with press-fit pins are reused after being removed from the PCB, it can be soldered on the PCB to reinforce the contact.

The pcb pad diameter is determined by the minimum annular ring size, the production alignment tolerance (level A, B or C) and the drilling tolerance as detailed in IPC-2222. The effect of the pad size in reducing the creepage and

clearance between pins should always be considered in minimum permissible spacing calculations.

### Specification for Modules with Solder Pins, Soldered to the PCB


The recommended final PCB hole diameter for solder pins is 1.2 mm when using 1 mm pins used in F1, F2, Q0, Q1 and Q2 modules.

The pcb pad diameter is determined by the minimum annular ring size, the production alignment tolerance (level A, B or C) and the drilling tolerance as detailed in IPC-2222. The effect of the pad size in reducing the creepage and clearance between pins should always be considered in minimum permissible spacing calculations.

For 1 mm diameter pin, the final pad diameter for level B manufacturing is calculated as 1.8 mm: allowing for 50  $\mu\text{m}$  absolute minimum annular ring, 0.5 mm alignment tolerance and 1.2 mm actual PCB hole size.

**Table 1. PCB SPECIFICATIONS FOR F1 AND F2 MODULES WITH 1.2 MM PRESS-FIT PINS – IMMERSION OR GALVANIC TIN.** Pins are IEC qualified for immersion tin plating.

	Min.	Typ.	Max.
Initial Drilled Hole Diameter $\varnothing$ [mm]	1.12	1.15	
Cu Thickness in the Hole [ $\mu\text{m}$ ]	25		50
Sn Thickness [ $\mu\text{m}$ ] (Chemical Tin)			15
Final Hole $\varnothing$ [mm]	0.98		1.09
Annular ring [ $\mu\text{m}$ ]	200		
Thickness of Conductive Layer [ $\mu\text{m}$ ]	35	70–105	400
Board Thickness [mm]	1.6		



**Figure 4.**

**Table 2. PCB SPECIFICATIONS FOR F1 AND F2 MODULES WITH 1.2 MM PRESS-FIT PINS – HAL PLATING.** Pins are IEC qualified for HAL plating but immersion/galvanic tin is recommended for more consistent mounting.

	Min.	Typ.	Max.
Initial (Drill) Hole Ø [mm]	1.12	1.15	
Cu Thickness in the Hole [ $\mu\text{m}$ ]	25		50
Sn Thickness [ $\mu\text{m}$ ]			40
Final Hole Ø [mm]	0.94		1.09
Annular ring [ $\mu\text{m}$ ]	200		
Thickness of Conductive Layer [ $\mu\text{m}$ ]	35	70–105	400
Board Thickness [mm]	1.6		




Figure 5.

**Table 4. PCB SPECIFICATIONS FOR Q0, Q1 AND Q2 MODULES WITH 1.6 MM PRESS-FIT PINS – HAL PLATING.** Pins are IEC qualified for HAL plating but immersion/galvanic tin is recommended for more consistent mounting.

	Min.	Typ.	Max.
Initial (Drill) Hole Ø [mm]	1.57	1.60	
Cu Thickness in the Hole [ $\mu\text{m}$ ]	25		50
Sn Thickness [ $\mu\text{m}$ ]			40
Final Hole Ø [mm]	1.45		1.54
Annular ring [ $\mu\text{m}$ ]	200		
Thickness of Conductive Layer [ $\mu\text{m}$ ]	35	70–105	400
Board Thickness [mm]	1.6		




Figure 7.

**Table 3. PCB SPECIFICATIONS FOR Q0, Q1 AND Q2 MODULES WITH 1.6 MM PRESS-FIT PINS – IMMERSION OR GALVANIC TIN.** Pins are IEC qualified for immersion tin plating.

	Min.	Typ.	Max.
Initial Drilled Hole Diameter Ø [mm]	1.57	1.60	
Cu Thickness in the Hole [ $\mu\text{m}$ ]	25		50
Sn Thickness [ $\mu\text{m}$ ] (Chemical Tin)			15
Final Hole Ø [mm]	1.45		1.54
Annular ring [ $\mu\text{m}$ ]	200		
Thickness of Conductive Layer [ $\mu\text{m}$ ]	35	70–105	400
Board Thickness [mm]	1.6		




Figure 6.

**Table 5. PCB SPECIFICATIONS FOR F2 MODULES WITH EON PRESS-FIT PINS – IMMERSION OR GALVANIC TIN.** Pins are IEC qualified for immersion tin plating. For HAL tin coating, a thicker tin thickness of up to 40 um is permitted reducing the hole size to 0.94 mm but this requires additional approval from onsemi.

	Min.	Typ.	Max.
Initial Drilled Hole Diameter Ø [mm]	1.12	1.15	
Cu Thickness in the Hole [ $\mu\text{m}$ ]	25		50
Sn Thickness [ $\mu\text{m}$ ] (Chemical Tin)			15
Final Hole Ø [mm]	1.02		1.09
Annular ring [ $\mu\text{m}$ ]	200		
Thickness of Conductive Layer [ $\mu\text{m}$ ]	35	70–105	400
Board Thickness [mm]	1.6		





Figure 8.

## PCB DESIGN

### PCB Layout Restrictions

PCB bending during the press-in process causes mechanical stress to other PCB components, such as capacitors and resistors. Experiments to verify a safe minimum distance between passive components and the plated through hole were conducted with FR4 PCB. Various sizes (0603, 0805, 1206, 1210, 1812, and 2220) of mechanically sensitive components were evaluated. Based on experimental results, the recommended minimum space between center of the plated through hole and the edge of the component is 4 mm, as shown in Figure 9.



**Figure 9. PCB Design Restriction: Distance from Center of PTH to Edge of Components**

The minimum distance between the edge of the PCB and the centre of the pin hole must be more than 4 mm.


The minimum distance between the center of the pin hole and a neighbored component on the PCB must be more than 4 mm.

### Recommended PCB-thicknesses and Mounting Heights by Module Type

The distance between the top surface of the heatsink and the bottom plane of the PCB is defined by the module height of 12 mm for Q0, Q1, F1 and F2 packages or 17 mm for Q2 packages. PCB spacers can be used for fixing. The number and the position of the fixing points depend on the design of the circuit, location of different masses like capacitors or inductor and the environment of the system. General recommendations cannot be given. The recommended heights of these spacers are given in the following sections


### Mounting with Distance of 12 mm

#### Option 1: without spacers



**Figure 10. Mounting Height with Module as Spacer**

#### Option 2: with spacers




**Figure 11. Mounting Height with Spacer in case of using Recommended Press-fit Tool**

### Example: Q1 Module with Press-fit Pins

Figure 12 shows an example of mounting a Q1 module.

The Q1 package has its power connectors/terminals distributed across the surface of the plastic case. Electrical connections are made by connecting these terminals to a print circuit board (PCB) by soldering or press-fit technology.



**Figure 12. Q1 Package Mounting Example**


The PCB has four mounting holes for the spacers, two cut-out holes for accessing the heatsink mounting screws through the PCB and the holes for the pin connections.

The dimensions and positions of the cut-out holes, the PTH holes and mounting holes are specified in the datasheet drawing for the specific module.

The Q0 solder pin modules have plastic mounting clips which require different shaped cut-outs in the PCB as specified in the datasheet.

## HEATSINK AND THERMAL INTERFACE MATERIAL

Power semiconductor modules generate heat that needs to be dissipated to protect against overheating. In general, module operation temperature should not exceed the maximum allowable junction temperature ( $T_{J\max}$ ) specified in the datasheet. Thermally conductive metal heatsinks that absorb and disperse heat are commonly used for cooling high power electronics. The thermal performance of a module, in combination with a heatsink, can be characterized by the thermal resistance  $R_{\theta ja}$ , which is the sum of all thermal resistances in the thermal path: junction-to-case ( $R_{\theta jc}$ ), case-to-heatsink ( $R_{\theta cs}$ ), heatsink ( $R_{\theta sink}$ ), and heatsink-to-ambient ( $R_{\theta sa}$ ), as shown in Figure 13.




**Figure 13. Thermal Model of Power Module & Heatsink**

Generally, air convection is the dominant heat transfer mechanism in electronics. The heat transfer by air convection strongly depends on the air velocity and the area of the heat-transferring surface. Proper contact between module substrate and the surface of the heatsink is crucial for managing the overall thermal efficiency of the system. Thermal Interface Materials (TIMs) are thermally conductive materials used to achieve good mating of the two surfaces and improve heat transfer.

### Heatsink Surface

The contact surface of a heatsink must be flat and clean to maximize heat transfer. Rough surfaces result in large voids between the substrate of the module and the surface of the heatsink. The following surface qualities are required for the heatsink to achieve a good thermal conductivity, according to DIN 4768-1. Roughness ( $R_z$ ) should be 10  $\mu\text{m}$  or less and flatness, based on a length of 100 mm, should be 50  $\mu\text{m}$  or less. The heatsink should have no contamination, unevenness, and burrs on the surface contacting the module.




**Figure 14. Microscopic View of Surfaces.**  
A is Flatness and B is Roughness ( $R_z$ )

The interface surface of the heatsink must be free of particles and contamination. Avoid handling the heatsink surface with bare hands or contacting any foreign materials. If it is necessary to remove contamination from heatsink, cleaning can be accomplished using dry cloth soaked with solvent, such as isopropyl or ethylene alcohol.

### Thermal Interface Material (TIM)

The backside of the module and the surface of the heatsink are not ideally smooth. TIM is used to prevent air cavities and help the thermal dissipation. Such TIM material may be a thermal pad, foil, grease, or any other similar material. The material selection should consider the thermal conductivity, drying out behavior during aging, and shape maintaining properties during power ON/OFF cycling.

The surfaces of the heatsink and the substrate of the module are not perfectly flat. After the module is mounted to a heatsink, air gaps can form between these two surfaces and the effective contact is limited to the area shown in Figure 15. Air is a poor heat conductor with 0.03 W/m·K thermal conductivity. It acts as a thermal barrier that limits the efficiency of heat transfer from the device.




**Figure 15. (a) Heat Transfer, Module to Heatsink, (b) Heat Transfer with Thermal Interface Material**

Thermal interface materials are widely used in the industry to fill air gaps between contact surfaces. Thermal interface material provides better thermal performance than air and compensates for imperfect mating surfaces, such as roughness and flatness shown in Figure 14. There are various thermal interface materials available in the market. The right choice of material is an essential factor for the application. It should be selected considering the following features:

- High Thermal Conductivity
- Ease of Distribution with Low Contact Pressure
- Minimal Thickness
- Degradation of Characteristics Over Time
- Stability of Characteristics Over Time
- Toxicity (Non-Toxic Optimal)
- Ease in Handling during Application or Removal

#### Thermal Grease

The most common thermal interface materials are thermal greases. Thermal grease can be applied to the heatsink or the module substrate using a rubber roller or spatula or by screen printing. A rubber roller, as shown in Figure 16, is an easy and fast method for applying thermal grease.



**Figure 16. Applying Thermal Grease**

1. Choose one side of the surface, module substrate, or heatsink to apply thermal grease.
2. Coat a rubber roller with thermal grease.
3. Paint the surface repeatedly using the rubber roller to create a uniform layer of thermal grease around 80–100 µm thick.

Since the thermal grease has the lowest thermal conductivity in the thermal path, a layer as thin as possible is necessary to keep the overall thermal resistance low. Recommended thickness of printing layer is 60–100 µm to fill the gap between two contact surfaces completely. Check the thermal grease thickness with thickness gauges, such as wet film combs or wet film wheels. Because manual control of the printing pressure and speed can be learned by experience, training is needed to achieve a technique for good quality printing layer in real application.

Alternatively, apply thermal paste by screen printing, for example using a honeycomb pattern. The recommended thermal paste thickness is 80–100 µm. A thickness of the TIM layer in excess of this recommendation will unnecessarily increase thermal resistance.

When applying thermal grease, the material must be applied uniformly on the whole surface which is in contact to the module substrate surface. If the module is re-mounted, surfaces should be cleaned and TIM needs be applied again.

#### Pre-applied Thermal Interface Material

As an option the module may be prepared or provided with a pre-applied PCM layer. The recommended pattern for such PCM layer is shown in Figure 17.



**Figure 17. Printing Pattern Example for TIM Material**


#### Modules Shipped with Pre-applied Phase-change Material

Please refer to the application note referring to handling modules with pre-applied TIM material.

## PRESS IN PROCESS OF MODULES WITH PRESS-FIT PINS

The press-fit process is a cost-effective way to assemble power modules without introducing additional thermal stress. The press-fit connection generates a good electrical, and also strong mechanical connection between the module and the PCB. This section deals with the mounting process to achieve suitable press-fit connections.

There are several types of presses available; from simple toggle presses to the automated pneumatic presses shown in Figure 18. If possible, monitor the press-in/press-out distance, speed, and force to achieve mechanical stability and high reliability of the press-fit connection. The travel distance during the press-in process should be controlled to ensure that the press-fit zone of the pins sits properly in the plated through hole. The speed also influences the quality of the press-fit connection; therefore, speed recommended by IEC standard should be applied.




**Figure 18. Press-in Presses**

Generally, a module can be pressed in until the stand-offs on the four corners of the module touch the PCB. If, for example, more than one module is mounted on a PCB at short distances or assemblies are subjected to mechanical shocks in the application, the press-in method as described in Figure 23 is recommended.


### Press-in Tool Construction

The preferred method is to press the module into the PCB from the top. Pressing multiple modules into one PCB can be done one by one; or all at once.

Pressing multiple modules at the same time requires a press-in tool according to the above detailed single tool. The tool has to ensure the correct leveling of the modules and the PCB to avoid any mechanical stress.



**Figure 19. Recommended Tooling Construction for the Press-in Process**




**Figure 20. Press-in Tools Closed, Module is Pressed in**

### Press-in Process Parameters

The total press-in force is the result of the number of pins in a module, multiplied with the force required for a single pin. Press-in forces lower than 60 N/pin mean that press-fit pin may have a less secure connection in the plated through hole. The primary reason for the low press-fit force is that the diameter of plated through hole is too large for the press-fit pins. Press-in forces higher than 150 N/pin can cause mechanical damage to the press-fit terminal, the PTH, or to the tracks on the PCB. The recommended press-in speed ranges from 25 mm/min to 50 mm/min in accordance with the recommendations in IEC 60352-5.

The press-fit pins have to be pressed into the holes of the PCB to the correct depth. The center of the press-fit zone has to be at least 0.5 mm below the top surface and at least 0.5 mm above the bottom surface of the PCB (Figure 21).



**Figure 21. Press-in Depth in PCB**


#### General Press-in Process

Figure 22 shows the general sequence of the press-in procedure. The press-in tool is comprised of two parts: the upper press-in tool is flat to contact with the module backside evenly and the lower press-in tool has engraved spaces to accommodate the press-fit pins.

The two parts of the tool need to be aligned to each other (a). In the first step of the assembly, the printed circuit board is placed on the alignment pins of the lower part of the press-in tool (b).

Then, the module is placed on top of the printed circuit board using the alignment pins. It is necessary to check if the module and the printed circuit board are in alignment (c). In the next step, the press-in force is applied via the upper part of the press-in tool to the backside of the module evenly. The module should be pressed-in with a speed of 25~50 mm/min until the stand-offs on the four corners of the module touch the surface of the printed circuit board while press-in distance and force are monitored at the same time (d).

It is required to adjust the traveling distance of the press to avoid damages to the module case due to pressure being applied. A simple manual press does not use a distance sensing system, so a distance keeper should be designed on the press-in tool to terminate press-in process appropriately. The next section describes the function of the distance keeper more in detail.



**Figure 22. Press-in Process**

### Press-in Process for Multiple Modules

In case multiple modules are assembled to the same PCB and heatsink, height tolerances can result in unintended bending of the PCB or inappropriate heatsink contact.


Therefore, if more than one module is mounted on the same PCB, it is required to minimize the height tolerances between those modules. This section presents a modified press-in process related to that.

Figure 23 shows a press-in tool including distance keepers. The distance keeper terminates the press-in process and limits the press-in depth.


By contacting the printed circuit board ahead of the module case, it prevents direct contact between the case and

the PCB. If the distance keeper contacts the surface, press-in force rises sharply and the press-in process can be terminated by reaching the limit of the press-in force. The distance keeper should be designed to avoid the collision with other PCB components.

The press-in process using the distance keeper is described in Figure 23. First, the PCB should be placed on the lower press-in tool (a). Then, a module is placed on the lower press-in tool and aligned with the PCB (b). The press-in stroke is applied to the backside of the module until the distance keeper touches the surface of the PCB (c).




**Figure 23. Press-in Process with Distance Keepers**



**Figure 24. Schematic Description of the Press-in Process using Distance Keeper**

As illustrated in Figure 25, depending on the length of the distance keeper, the contact length between press-fit pins and the plated through hole is determined. The total height of the module is  $12.00 \pm 0.30$  mm for Q0, Q1, F1 and F2 modules. It is recommended that the length of the distance keeper should be  $12.40 (+0.05/-0)$  mm to achieve a stable contact length.

Consequently, an air gap between the top of the case and the surface of the PCB remains. Screwing the PCB down to the stand-offs of the module case, as shown in Section 5, is not allowable. Instead, the assembly should use space posts to support the PCB.



A: Package height (DBC bottom to case top) is  $12.00 \pm 0.30$  (mm)  
B: Distance keeper height is  $12.40 +0.05/-0$  (mm)  
C: Air gap between case top and surface of the PCB

**Figure 25. Press-in Depth in Accordance with Length of Distance Keeper**

#### Press-in Tool Design Comments

Some design options should be considered to avoid press-in failure. First, the contact plate of the upper press-in tool must be larger than the module DBC substrate size. If the contact area of the upper press-in tool is smaller than the module substrate and pressure is applied to the center area of the module only, the module can be mechanically damaged during the press-in process. The press-in tool design should consider the size of the module.

If other components (capacitors, resistors) are assembled on the PCB next to the module mounting area, the press-in tool design should avoid collision during the press-in process. As shown in Figure 20, the lower press-in tool is designed with engraved spaces for the press-fit pin and other PCB. Based on experimental results, components did not exhibit mechanical or electrical damages due to board bending during the press-in process when the distance between the center of the plated through hole and the edge


of the component is 4 mm or more. It is also important to keep a certain area to provide support for the PCB.

#### Press-out Process

In some situations, it is necessary to remove power modules from the PCB. It is possible to disconnect the contact between module pins and PTH. The press-out process can be performed with the same equipment used in the press-in process.


Careful handling in the press-out process is essential to avoid mechanical damage to both the module and the PCB. PCB can be re-used once with a new module.

Please note: in case a module which was pressed out of a PCB should be used again, it is necessary to solder the module to the PCB; this is because the press-fit zone will remain deformed after the press-out process. An additional press-in cycle will result in low holding forces between the press-fit pin and PCB hole.



Press-out tool consists of two parts; upper press-out tool and lower press-out tool should be aligned in parallel with each other.

**Figure 26. Press-out Tools**



- Step 1**  
Put the printed circuit board assembled with modules on the lower press-out tool.
- Step 2**  
Upper press-out tool moves downward and start to press the projecting part of the press-fit pins.
- Step 3**  
Process should be terminated as soon as the upper press-out tool contacts the surface of PCB.  
Module falls down to the lower tools  
disassembled with PCB.

**Figure 27. Press-out Process**

The press-out tool consists of an upper and a lower press-out tool, as shown in Figure 26. The upper press-out tool should be parallel and aligned to the lower press-out tool (a). The assembled board should be placed on the lower press-in tool (b). The upper press-out tool moves down and contacts the projecting part of the pins. Press-out force should be applied to all pins evenly within 3–12 mm/min of press-out speed according to IEC 60352–5 (c). The module falls down to the lower tool as it is disassembled from the PCB. The press-out distance should be monitored to ensure the upper press-out tool does not apply unnecessary pressure on the PCB after the module is fully pressed-out (d).

#### Press-out Tool Design

The upper and lower press-out tools should be parallel to each other to prevent stress on the module during press-out process. Some pins may have contact with the upper press-out tool while other pins have no contact with tool. Pulling force can be exerted on the press-fit pins where upper the press-out tool does not contact.

The press-out tool design should consider other components assembled on the PCB next to the module

mounting area to avoid collision during the press-out process. The specific tool to disassemble the modules from the PCBs has two parts similar to the press-in tool. The lower part serves as a support for the PCB. It has a cavity and supporting pins. It is important that the size of the cavity is close to the dimensions of the module. The supporting pins are in line with the fixing pins of the upper part. There may be components mounted to the PCB in the area of the tool, in such case it is possible to cut out the nest.


The upper part consists of two pressing plates that are connected by springs. The pins on the lower plate serve to fix the PCB. With the aid of these parts, the bending of the PCB can be prevented during pressing.

The ram fastened to the upper plate is designed according to the positions of the parts on the PCB and the layout of the pins.

It is not possible to press the module out with a flat plate if the PCB is thicker than 2.5 mm due to the overhang of the pins. In this case, pressing sticks positioned according to the pin layout are necessary.

Recommended spring force: 25 N/mm

Recommended number of springs: 4 pcs



**Figure 28. Press-out Failure Mode: Upper and Lower Press-out Tools Not Parallel**

Due to the stress relaxation between contact partners, the initial contact force tends to reduce over time. In addition, the press-out force varies in relation to the contact ratio between press-fit pin and plated through hole. As shown in Table 6, the press-out force should be higher than 40 N per pin.


**Table 6. PRESS-OUT FORCE AND SPEED SPECIFICATION**

	Min.	Typ.	Max.
Press-Out Force (per Pin)	40 N		
Press-Out Speed		3–12 mm/min	

This condition is automatically fulfilled with the use of the recommended press-in tool.


## SOLDERING TO PCB

PCB holes with fully plated through-holes will enable 100% wetting and fillets between pin and both sides of PCB.



**Figure 29. Solder Wetting of PCB Through Hole**

## Wave soldering profile



**Figure 30. Wave Solder Profile**

## MODULE MOUNTING TO HEATSINK

This section describes how the modules are mounted to the heatsink. The different module family members have different sized mounting holes and recommendations.


It is extremely important that the contact surface of heatsink must be flat and free of particles. Avoid handling the heatsink surface with bare hands or contacting with any foreign materials. If it is necessary to remove contaminations from heatsink, please clean it using a dry cloth soaked with solvent such as isopropyl or ethylene alcohol.

### Methods of Screw Clamping


There are two recommended screw clamping methods which apply to all modules. The F1 module is used as an example. Figure 31 describes one method for fastening the module to the heatsink. Fasten two screws simultaneously to prevent tilting or rising of one side of module during fastening. Electric screwdrivers can tighten the screws with the specified torque. Additional flat or spring washers are permissible, considering clearance and creepage distances specified later in this section.

Screw holes on heatsink need to be countersunk.

If method 1 cannot be applied, the method as described in Figure 32 is also acceptable. Fasten the first screw loosely to prevent tilting or rising of the module (step 1). Then insert the second screw with final torque so as to be fully tightened with the heatsink (step 2). Finally, apply full torque to the first screw for solid tightening with the heatsink.



**Figure 31. Illustration of Screw Clamping with Heatsink (Method 1)**  
**Torque Values Apply to F1/F2 Packages. See Later Diagrams for Other Packages**



**Figure 32. Screw Clamping Steps (Method 2)**  
**Torque Values Apply to F1/F2 Packages. See Later Diagrams for Other Packages**

#### F1/F2/Q0/Q1 Modules

When using screws with flat washers:

Metric screw: M4 (recommended screw type DIN7984)

Flat washer: D = 8 mm ISO 7092 (DIN 433)

Spring washer: D = 8 mm DIN 127 or DIN 128

Mounting torque: 1.6–2.0 Nm

Screw holes on heatsink need to be countersunk.

A torque wrench shall be used to tighten the mounting screws at the specified torque. Excessive torque may result in damage or degradation of the device. The inaccuracy of torque wrench tightening method can range up to  $\pm 12\%$ .

This has to be taken into account to prevent over-tightening the fastener.

Due to excessive temperature fluctuations washers should be used to prevent the loosening of the screws. After accurate tightening of the screws the spring washer exerts a constant force on the joint. The flat washer distributes this force on the plastic surface.

When using screws with pre-assembled washers:

Screws with pre-assembled washers (SEMS or kombi screws) combine the screw and the washers into a single component. These screws eliminate the need to slip the

washers into place by hand, boosting the speed and efficiency of the assembly process. The specifications of these screws are provided below:

Screw size: M4 according to DIN 6900 (ISO 10644; JIS B1188)

Flat washer: According to DIN 6902 Type C (ISO 10673 Type S; JIS B1256)

Washer outer diameter:


8 mm diameter can be fitted onto the module

Split lock spring washer:

According to DIN 6905(JIS B1251)

Mounting torque range: 1.6–2.0 Nm

See Figure 33.




**Figure 33. Q0/Q1 Modules – Mounting to Heatsink**

## Q2 Modules

Use M5 screws with torque of 3.0–5.0 Nm.

See Figure 34.



**Figure 34. Q2 Modules – Mounting to Heatsink**

## MOUNTING HEATSINK AND MODULE TO PCB


### Mounting screws for attaching module to PCB

Screwing the PCB to the stand-offs on the module is one of the assembly methods. By adding this screw connection to the stand-offs, securing the assembly of module and PCB can be expected. Figure 35 shows the key dimensions of the stand-off. Self-tapping screws are recommended so that the screws form the thread in the hole.

For F1 and F2 modules, metric screws, self-tapping, with dimensions of 2.5xL or 2.6xL have been verified. The length of the screws (L) may differ depending on the thickness of the PCB. Typically, an 8 mm long screw (M2.5X8) can be used with 1.6 mm-thick PCB. Recommended mounting torque is 0.4~0.5 Nm for each screw. See Figure 30. This shows the recommended sequence for mounting the PCB to the module. Straight inserting avoids mechanical damage to the module case. An electric screwdriver helps achieve uniform force and speed for inserting the screws.

For Q2 modules, metric screws, self-tapping, with dimensions of 2.5xL have been verified. The length of the screws (L) may differ depending on the thickness of the PCB. Typically, an 8 mm long screw (M2.5X8) can be used with 1.6 mm-thick PCB. Recommended mounting torque is 0.3~0.5 Nm for each screw. See Figure 36. This shows the recommended sequence for mounting the PCB to the module. Straight inserting avoids mechanical damage to the module case. An electric screwdriver helps achieve uniform force and speed for inserting the screws.

Q0 and Q1 modules do not have screw holes for mounting onto the PCB.



**Figure 35. Q2 Screw Clamping on Stand-offs and Key Dimensions of Screw Hole**

**NOTE:** Do not screw the PCB down to the stand-offs of the module if an air gap remains between case top and PCB after press-in. This can lead to deformation of the PCB or other mechanical damage.

#### Assembly of the PCB and Heatsink

The overall structure of the mounted module should be considered.

If the PCB is large and heavy with other components assembled to it, there is some risk the PCB can bend, creating mechanical stress to the module and the PCB. When

multiple modules are applied to the same PCB, height tolerance between modules can result in the mechanical stresses on the board and modules. To reduce stress, space posts should be added on the heatsink, as illustrated in to prevent movement of the PCB.

The recommended height of the space posts is 12.4 (+0/-0.1) mm. The effective distance between center of stand-off and the space post (= X) is 50 mm minimum. If distance keepers are used during the press-in process, resulting in tighter height tolerances; distances between the


stand-off of the case and the space post (= X) smaller than 50 mm can be used.

Figure 36 shows the assembly procedure when space posts are used and the overall assembly structure:

Modules are first pressed into the PCB following the recommendations introduced in Section “Heatsink Surface” before heatsink mounting. Maintaining tight height

tolerances between module and PCB is important. Next, the thermal interface material is applied. Then the modules and the PCB are placed on the heatsink (a).


Then the module is mounted onto the heatsink via the module’s metal or plastic clamp. Refer to Section “Q2 Modules” for instructions of screw clamping (b). Finally, the PCB needs to be fixed on the space posts, as described in (c).



**Figure 36. Space Posts for Assembly of PCB to Heat Sink**


**(a) Step 1**

Place modules assembled with printed circuit board and TIM onto the heat sink.




**(b) Step 2**

Fasten the screw clamps of modules to the heat sink.



**(c) Step 3**

Screwing PCB with space post.



**Figure 37. Example of Whole Assembly Process for PCB and Heatsink with Space Posts**

During the assembly process, a single pin is not allowed to be drawn or pushed inwards or outwards from substrate more than  $\pm 0.2$  mm or loaded with a force greater than 35 N (except during pressing-in of press-fit pins). The special design of press-fit pins prevents a deformation of pins greater than 0.1 mm during the press-in process. The tension of the pin must not exceed  $\pm 5$  N at a maximum substrate temperature of 100°C.

#### Creepage and Clearance Considerations

The spacing of the assembly between the module and PCB must meet the clearance and creepage distance required by the relevant standards. After F1 or F2 modules are mounted to the PCB and heatsink, the minimum clearance is the distance between the screw head and the bottom surface of the PCB. The size (height) of the screw head and potential use of an additional washer, as well as the air gap between PCB and top side of the module, influence the creepage distance between the screw and the PCB and the module pins. F1 and F2 modules are mounted on the heatsink using M4 hexagon socket head screws, according to ISO 4762. Additional washers, according to ISO 7089, can be used. A distance of 6.8 mm between the screw and the PCB, as shown in Figure 38, can be maintained.




Figure 38. Distance between PCB and Screw

## HANDLING OF PCM PRE-APPLIED MODULES

#### Transport and Storage

During transport and storage of the modules extreme thermal and mechanical shock should be avoided. The tray box is designed to prevent direct contact to the PCM layer of the module substrate. PCM-pre applied modules should be stored in this tray box. Table 7 shows optimum storage conditions. Please note that storage of PCM pre-applied modules above its phase change temperature (45°C) is not recommended.

**Table 7. PCB RECOMMENDED STORAGE CONDITIONS**

Storage Temperature	10 – 40°C
Humidity Conditions	10 < RH < 55%
Storage Duration	Max. 12 months

#### Handling

PCM printing layer should be treated as a functional area of the module and be protected from damage or removing during handling or mounting process. PCM pre-applied module is delivered in a tray box with a tight cover. It is recommended to open the cover carefully side-by-side to prevent mechanical damage to the PCM layer. During the assembly process attention is needed not to touch the PCM layer directly. If the PCM layer is contaminated or more than 10% of the entire printed area is damaged, it is recommended to remove the PCM layer according to the guidance provided below, and to apply thermal grease instead.

#### Disassembly, Cleaning, and Rework

In case of a failure or if rework is required it may be necessary to disassemble the module. In case of rework prior to operation of modules, standard PCB / heat sink disassembly process can be applied. If the module was operated and the PCM melted and distributed already, then bond strength between heat sink and the module may be strong, and the module cannot be easily removed from the heatsink. In such cases it is recommended to use a knife to detach the module or apply some heat (45–60°C) to re-melt PCM to detach the module easily. Use a soft plastic scraper to remove the PCM layer from the module back side and heat sink. For the removal of remaining PCM residues it is recommended to use microfiber cloth.

**onsemi**, **ONSEMI**, and other names, marks, and brands are registered and/or common law trademarks of Semiconductor Components Industries, LLC dba "**onsemi**" or its affiliates and/or subsidiaries in the United States and/or other countries. **onsemi** owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of **onsemi**'s product/patent coverage may be accessed at [www.onsemi.com/site/pdf/Patent-Marking.pdf](http://www.onsemi.com/site/pdf/Patent-Marking.pdf). **onsemi** reserves the right to make changes at any time to any products or information herein, without notice. The information herein is provided "as-is" and **onsemi** makes no warranty, representation or guarantee regarding the accuracy of the information, product features, availability, functionality, or suitability of its products for any particular purpose, nor does **onsemi** assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using **onsemi** products, including compliance with all laws, regulations and safety requirements or standards, regardless of any support or applications information provided by **onsemi**. "Typical" parameters which may be provided in **onsemi** data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. **onsemi** does not convey any license under any of its intellectual property rights nor the rights of others. **onsemi** products are not designed, intended, or authorized for use as a critical component in life support systems or any FDA Class 3 medical devices or medical devices with a same or similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use **onsemi** products for any such unintended or unauthorized application, Buyer shall indemnify and hold **onsemi** and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that **onsemi** was negligent regarding the design or manufacture of the part. **onsemi** is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.

## PUBLICATION ORDERING INFORMATION

### LITERATURE FULFILLMENT:

Email Requests to: [orderlit@onsemi.com](mailto:orderlit@onsemi.com)

### TECHNICAL SUPPORT

#### North American Technical Support:

Voice Mail: 1 800-282-9855 Toll Free USA/Canada

Phone: 011 421 33 790 2910

#### Europe, Middle East and Africa Technical Support:

Phone: 00421 33 790 2910

For additional information, please contact your local Sales Representative