ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INCLUSTRIES	<b>mposition De</b> 5. IPC, Bannockl Pan-American co	<b>claration</b> ourn, Illinois. A opyright conver	Il rights reserved untions.	nder both	This docume level parts, th	ent is a declaration he declaration er	on of the substar acompasses all le	ces within the man ower level materia	nufacturer liste ls for which th	ed item. Note: ne manufacture	if the item is an as er has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form T				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				Materials and	ials and Mfg Information			
upplier Information													
Company name* C			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2024-04-29			
Contact Name Title - Co			itle - Contact			Phone - Contact*			Ema	Email - Contact*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA			Proc	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title -			tle - Representative			Phone - Representative*			Ema	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA			Proc	Product-Env-Stewards@onsemi.com				
Requester Item Number			Number Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	EGP30C	GP30G HER DO201AD G		GPPN 3A 400V	PN 3A 400V		2024-04-29		TSCBE		mg	Each	
Ianufacturing Proccess Infor	mation												
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Bas		Alloy J-STD-020 MSL Ra		L Rating	Peak Process Body Temperature Max T		ature Max Time	at Peak Temp	erature Num	ber of Reflow Cy	cles	
Matte Tin (Sn) - annealed		CU Alloy NA		NA		0	0 C 30		se	seconds 3			
omments													
or more information regarding mate	rial composition	please refer to	page 3										

RoHS Material Composition Declar	ation			Declaration Type *	Detailed
Directive 2015/863/EU amending Rol Directive 2011/65/EU	(Pb), Mercury (Hg), Hexav		ninated Biphenyls (PBB), Polybror	dmium and quantity limit of 0.1% by mass (100 ninated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polyb contains a RoHS restricted substance i encompass all such components.Suppl as of the date that Supplier completes Company acknowledges that Supplier independently verified information pro- certification in this paragraph.If the Co	rominated biphenyls and/or polybror nexcess of an applicable quantity lim ier certifies that it gathered the inforr this form.Supplier acknowledges that may have relied on informationprovi ovided by others, Supplier agrees that ompany and the Supplier enter into a clusivesource of the Supplier's liabili	ninated diphenyl ethers (each a "R it, please indicate below which, if nation it provides in this form usin Company will rely on this certifud ded by others in completing this f , at a minimum, itssuppliers have written agreement with respect to ty and the Company's remedies for	toHS restricted substance") in exce any, RoHS exemption you believe ag appropriate methods to ensure it cation in determining the complian orm, and that Supplier may not hav provided certifications regarding th the identified part,the terms and co or issues that arise regarding inform	ropean Union member states) of the part identifies so of the applicable quantity limit identified about may apply. If the part is an assembly with lows a accuracy and that such information is true and ce of its products with European Union member re independently verified such information. How heir contributions to the part, and those certifica motions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of
<b>RoHS Declaration *</b> 4	- Item(s) does not contain RoHS restr	icted substances per the definition	above except for selected exempti	ons Supplier Acceptance	* Accepted
Exemption: 7a: Lead in high meltin Exemption: 7c-I Electrical and elect	g temperature type solders (i.e. lead ronic components containing lead i	l based solder alloys containing n a glass or ceramic other than	85% by weight or more lead). dielectric ceramic in capacitors, o	e.g. piezoelectronic devices, or in a glass or ce	eramic matrix compound.
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the rec Requester) and click on Submit For			Supplier Acceptance drop-down	. This will display the signature area. Digital	ly sign the declaration (if required by the
Supplier Digital Signature	Rastislav Drska	Le			

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.464	mg	Supplier	Silicon (Si)	7440-21-3		1.3176	mg
			В	Nickel (Ni)	7440-02-0		0.0095	mg
			Supplier	Gold (Au)	7440-57-5		0.0022	mg
			Supplier	Lead Bisilicate	65997-18-4	7c	0.1347	mg
Die Attach	3.36	mg	Supplier	Silver (Ag)	7440-22-4		0.1848	mg
			А	Lead (Pb)	7439-92-1	7a	3.0912	mg
			Supplier	Tin (Sn)	7440-31-5		0.084	mg
Lead Wire	303.216	mg	Supplier	Copper (Cu)	7440-50-8		303.216	mg
Marking Ink	0.2	mg	Supplier	Silicon Dioxide (SiO2)	112945-52-5		0.01	mg
			Supplier	1-Hydroxycyclohexyl phenyl ketone	947-19-3		0.01	mg
			Supplier	Padimate (C14H21NO2)	21245-01-2		0.02	mg
			Supplier	2-Propenoic acid polymer	53192-18-0		0.13	mg
			Supplier	Aluminum (Al)	7429-90-5		0.03	mg
Mold Compound-Black	83.56	mg		Metal Hydroxide	proprietary data		3.9273	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2507	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		66.848	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		8.356	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		4.178	mg
Plating	8.2	mg	Supplier	Tin (Sn)	7440-31-5		8.2	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).