ASSOCIATION CONNECT ELECTRONICS INDUSTR	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi 					erials and l	als and Mfg Information				
Supplier Infor	mation														
Company name*			Company unique ID				Unique ID Authority					Response Date*			
onsemi											2024-0	2024-05-03			
Contact Name			Title - Contact				Phone - Contact*				Email	Email - Contact*			
Product-Env-Stev	wards		Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Repres	sentative*		Title - Representative				Phone - Representative*				Email	Email - Representative*			
Product-Env-Stev	wards		Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Reques	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Dat	e Versio	Version Manufacturing Site			Weight*	UOM	Unit Type	
		FAN6921	FAN6921MLMY PFC/QR Combo		Contr		2024-05-03			TAD		147.792	mg	Each	
Manufacturing	g Proccess Information	1													
Terminal Plating / Grid Array Material Ter			erminal Base Alloy J-STD-020 MSL		L Rating	Peak Process Body Temperatu		ure Max Time at Peak Temp		ature Numb	er of Reflow Cy	cles			
Matte Tin (Sn) - annealed CU Al			U Alloy	Alloy 3			260 C 30		30	seconds 3					
Comments															
TTENTION: MS	SL 3 Rated item requires Ba	ke and D	ry Pack (after	electrical test)											
or more informa	tion regarding material com	position p	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.35	mg	Supplier	Silicon (Si)	7440-21-3		4.35	mg
Die Attach	0.44	mg	Supplier	Silver (Ag)	7440-22-4		0.374	mg
			Supplier	4,4'-Bis(2,3-epoxypropoxy)-3,3',5,5'- tetramethylbiphenyl	85954-11-6		0.022	mg
			Supplier	Proprietary	Proprietary Data		0.022	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.022	mg
Lead Frame	46.395	mg	Supplier	Silver (Ag)	7440-22-4		0.206	mg
			Supplier	Zinc (Zn)	7440-66-6		0.06	mg
			Supplier	Iron (Fe)	7439-89-6		1.11	mg
			Supplier	Copper (Cu)	7440-50-8		45	mg
			Supplier	Phosphorus (P)	7723-14-0		0.019	mg
Mold Compound-Black	93.9	mg		Epoxy resin	proprietary data		6.573	mg
			Supplier	Phenolic Resin	Proprietary Data		2.3475	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		7.0425	mg
			Supplier	Carbon Black (C)	1333-86-4		0.4695	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		75.12	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		2.3475	mg
Plating	2.31	mg	Supplier	Tin (Sn)	7440-31-5		2.31	mg
Wire Bond - Au	0.397	mg	Supplier	Gold (Au)	7440-57-5		0.397	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).