| ASEOCIATION CONNECTING<br>ELECTRONICS INDUSTRIES® INTERNATION CONNECTING | nposition De<br>5. IPC, Bannockt<br>Pan-American co       | c <b>laration</b><br>ourn, Illinois. A<br>opyright conver | All rights reserved u ntions. | nder both | This docume<br>level parts, t  | ent is a declarati<br>he declaration e | on of the substar<br>ncompasses all l | ces within the ma<br>ower level materia | anufacturer li<br>als for which | sted item. Note: i<br>the manufacture | f the item is an a<br>r has engineering | ssembly with low responsibility. |  |
|--|---|---|-------------------------------|-----------|--|--|---------------------------------------|---|---------------------------------|---------------------------------------|---|----------------------------------|--|
|  | IPC Web Site for Information on IPC-1752 Standard Form Ty |   |                               |           | <ul> <li>Declaration Class *</li> <li>Class 6 - RoHS Yes/No, Homogeneous Materi</li> </ul> |  |                                       |   | ıs Materials a                  | ials and Mfg Information              |   |                                  |  |
| upplier Information  |   |   |                               |           |  |  |                                       |   |                                 |                                       |   |                                  |  |
| ompany name*   | Company unique ID   |   |                               | 1         | Unique ID Authority  |  |                                       |   | Response Date*                  |                                       |   |                                  |  |
| nsemi  |   |   |                               |           |  |  |                                       |   | 2024-05-02                      |                                       |   |                                  |  |
| Contact Name Title -   |   |   | Fitle - Contact               |           |  | Phone - Contact*                       |                                       |   |                                 | Email - Contact*                      |   |                                  |  |
| Product-Env-Stewards   | Product Envi  | Product Enviro Compliance                                 |                               |           | NA   |  |                                       |   | Product-Env-Stewards@onsemi.com |                                       |   |                                  |  |
| Authorized Representative* Titl  |   |   | Title - Representative        |           |  | Phone - Representative*                |                                       |   | En                              | Email - Representative*               |   |                                  |  |
| roduct-Env-Stewards  | Product Enviro Compliance                                 |   |                               |           | NA   |  |                                       |   | Product-Env-Stewards@onsemi.com |                                       |   |                                  |  |
| Requester Item Number  | Requester Item Number Mfr Iten                            |   | n Number Mfr Item Name        |           |  | Effective Date                         | Version                               | Manufacturing                           | g Site                          | Weight*                               | UOM                                     | Unit Type                        |  |
|  | FDPF18  | FDPF18N50T UF 500V 265mOl                                 |                               | hm TO220F |  | 2024-05-02                             |                                       | CNP                                     |                                 | 2112.34                               | mg                                      | Each                             |  |
| Ianufacturing Proccess Inform  | nation  |   |                               |           |  |  |                                       |   |                                 |                                       |   |                                  |  |
| Terminal Plating / Grid Array  | Terminal Plating / Grid Array Material Terminal           |   | e Alloy J-STD-020 MSL         |           | L Rating   | Peak Process Body Temperatu            |                                       | ature Max Time                          | e at Peak Ten                   | nperature Numb                        | per of Reflow Cy                        | cles                             |  |
| Matte Tin (Sn) - annealed  |   | CU Alloy NA   |                               |           | 0 C  |  | 30                                    |   | seconds 3                       |                                       |   |                                  |  |
| omments  |   |   |                               |           |  |  |                                       |   |                                 |                                       |   |                                  |  |
|  |   |   |                               |           |  |  |                                       |   |                                 |                                       |   |                                  |  |
| or more information regarding mater                                      | ial composition   | please refer to   | page 3                        |           |  |  |                                       |   |                                 |                                       |   |                                  |  |

| RoHS Material Composition Declaration  |  |   |   | Declaration Type *  | Detailed  |  |  |  |  |  |  |
|--|--|---|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | (Pb), Mercury (Hg), Hexavalent Chro  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybromina<br>contains a RoHS restricted substance inexces<br>encompass all such components. Supplier cer<br>as of the date that Supplier completes this for<br>Company acknowledges that Supplier may h<br>independently verified information provided<br>certification in this paragraph. If the Company | ated biphenyls and/or polybrominated dip<br>s of an applicable quantity limit, please in<br>iffies that it gathered the information it pr<br>m.Supplier acknowledges that Company<br>ave relied on informationprovided by oth<br>by others, Supplier agrees that, at a minir<br>and the Supplier enter into a written agr<br>esource of the Supplier's liability and the | henyl ethers (each a "RoHS restricted substa<br>ndicate below which, if any, RoHS exemption<br>ovides in this form using appropriate methoo<br>will rely on this certification in determining<br>ers in completing this form, and that Supplie<br>num, itssuppliers have provided certification<br>eement with respect to the identified part, the<br>Company's remedies for issues that arise reg                                | nce") in exco<br>n you believe<br>ls to ensure i<br>the compliar<br>r may not ha<br>s regarding t<br>terms and co | e may apply. If the part is an assembly with low<br>s accuracy and that such information is true an<br>ce of its products with European Union member<br>de independently verified such information. Ho<br>neir contributions to the part, and those certifica | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>d correct to the best of its knowledge and belief,<br>er state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>ations are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 4 - Item(   | s) does not contain RoHS restricted subst  | ances per the definition above except for sele  | ected exempt  | ions Supplier Acceptance  | * Accepted  |  |  |  |  |  |  |
| Exemption: 7a: Lead in high melting temp   | erature type solders (i.e. lead based sol  | der alloys containing 85% by weight or m  | ore lead).  |   |   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |   |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |   |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required<br>Requester) and click on Submit Form to h   |  |   | e drop-dowi   | a. This will display the signature area. Digita   | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature   | astislav Drska   | Le  |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight  | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight    | Unit of Measure |
|----------------------|---------|-----------------|----------|----------------------------|------------------|--------|-----------|-----------------|
| Die                  | 13.5    | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 13.5      | mg              |
| Die Attach           | 4.01    | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.0602    | mg              |
|                      |         |                 | А        | Lead (Pb)                  | 7439-92-1        | 7a     | 3.7494    | mg              |
|                      |         |                 | Supplier | Tin (Sn)                   | 7440-31-5        |        | 0.2005    | mg              |
| Lead Frame           | 1294.26 | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 1.2943    | mg              |
|                      |         |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 1292.9657 | mg              |
| Mold Compound-Black  | 784.93  | mg              |          | Proprietary                | proprietary data |        | 39.2465   | mg              |
|                      |         |                 | В        | Antimony Trioxide (Sb2O3)  | 1309-64-4        |        | 7.8493    | mg              |
|                      |         |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 3.9246    | mg              |
|                      |         |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 121.6641  | mg              |
|                      |         |                 | Supplier | Ortho-Cresol Novolac Resin | 29690-82-2       |        | 47.0958   | mg              |
|                      |         |                 | Supplier | Phenolic Resin (Novolac)   | 9003-35-4        |        | 47.0958   | mg              |
|                      |         |                 | Supplier | Silica Crystalline (SiO2)  | 14808-60-7       |        | 518.0538  | mg              |
| Plating              | 13.2    | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 13.2      | mg              |
| Wire Bond - Al       | 2.44    | mg              | Supplier | Aluminum (Al)              | 7429-90-5        |        | 2.44      | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).