	Material Composit © Copyright 2005. IPC, I nternational and Pan-An	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	aration of on encon	of the substa mpasses all	ances wi l lower le	thin the manufactu evel materials for v	rer listed i which the n	tem. No nanufac	ote: if the turer has	item is an ass engineering r	embly with lowe esponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information				
Supplier Informati	on															
Company name*			Company unique ID			Unique ID Authority					Respons	Response Date*				
onsemi										2024-05	2024-05-19					
Contact Name	Title - Contact				Phone - Contact*					Email -	Email - Contact*					
Product-Env-Stewards		Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*					Email -	Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com			
Requester Ite	Requester Item Number Mfr Item FPF2004 FPF2004		Number Mfr Item Name				Effective Date Version Manufacturing Site 2024-05-19 CNS		nufacturing Site	Weight*		*	UOM	Unit Type		
				Integrated Load Switch					5.9997 mg		mg	Each				
Manufacturing Pro	occess Information	l		1				•		1					1	I
Terminal Plat	Terminal Plating / Grid Array Material		erminal Base Alloy J-S		J-STD-020 MS	0-020 MSL Rating		Peak Process Body Tempera		perature	ture Max Time at Peak Temp		mperature Number of Reflow Cycles		es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		1) (no C	U Alloy	Alloy 1			260		C		30 seco		conds 3			
Comments												· ·				
evel 1 - maximum time	at peak temperature d	uring sol	dering is 10-3	0 seconds												
for more information r	egarding material com	position p	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.2027	mg	Supplier	Silicon (Si)	7440-21-3		0.2027	mg
Die Attach	0.0202	mg	Supplier	Silver (Ag)	7440-22-4		0.0162	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.004	mg
Lead Frame	3.2956	mg	Supplier	Zinc (Zn)	7440-66-6		0.0042	mg
			Supplier	Iron (Fe)	7439-89-6		0.0781	mg
			Supplier	Copper (Cu)	7440-50-8		3.2106	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0027	mg
Mold Compound-Black	2.4264	mg		Epoxy resin	proprietary data		0.1213	mg
			Supplier	Phenolic Resin	Proprietary Data		0.0485	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0607	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0121	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.1838	mg
Plating	0.0244	mg	Supplier	Palladium (Pd)	7440-05-3		0.001	mg
			В	Nickel (Ni)	7440-02-0		0.0232	mg
			Supplier	Gold (Au)	7440-57-5		0.0002	mg
Wire Bond - Au	0.0304	mg	Supplier	Gold (Au)	7440-57-5		0.0304	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).