ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pan-	C. Bannockb	ourn. Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration en	n of the substan compasses all lo	ces within the manufacture wer level materials for w	rer listed in which the m	tem. Note: if nanufacturer	the item is an as has engineering	sembly with lower responsibility.	
				Form Type Distribute	<ul> <li>Declaration Class *</li> <li>Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information</li> </ul>					on			
Supplier Information													
Company name* Compar			npany unique ID			Unique ID Authority				Response Date*			
onsemi										2024-05-05			
Contact Name Title - Contact			et	Ţ		Phone - Contact*			Email - Contact*				
Product-Env-Stewards Product Envi			viro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repre			esentative		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Product			roduct Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FSQ321I	FSQ321LX FPS FOR DVDP/		STB		2024-05-05 PH4		PH4	4	461.247	mg	Each	
Manufacturing Proccess Informat	ion		·			·					· · · · · · · · · · · · · · · · · · ·		
Terminal Plating / Grid Array Mat	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J	-STD-020 MSL	Rating	Peak Proce	ss Body Temper	ature Max Time at Peak	Temperat	ure Numbe	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy			}		250	С	30	secon	ds 3				
Comments													
<b>ATTENTION: MSL 3 Rated item requires</b>	Bake and D	ry Pack (after	electrical test)										
or more information regarding material o	omposition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg	
Die Attach	3.0	mg	Supplier	Silver (Ag)	7440-22-4		2.25	mg	
			Supplier	Phenolic Resin-2	54208-63-8		0.75	mg	
Lead Frame	120.787	mg	Supplier	Silver (Ag)	7440-22-4		0.69	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.193	mg	
			Supplier	Iron (Fe)	7439-89-6		3.6	mg	
			Supplier	Copper (Cu)	7440-50-8		116	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.304	mg	
Mold Compound-Black	320.81	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		54.5377	mg	
			Supplier	Carbon Black (C)	1333-86-4		3.2081	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		214.9427	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		48.1215	mg	
Plating	9.05	mg	Supplier	Tin (Sn)	7440-31-5		9.05	mg	
Wire Bond - Au	6.0	mg	Supplier	Gold (Au)	7440-57-5		6	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).