ASSOCIATION CONNECTING	Material Composit © Copyright 2005. IPC, international and Pan-An	Bannockb	urn, Illinois. A	ll rights reserved u ntions.	nder both	This docume level parts, t	ent is a declar he declaratio	ation of the	e substances sses all lowe	within the 1 r level mate	nanufacture rials for whi	r listed ite ich the ma	m. Note: i nufacture	if the item is an as r has engineering	sembly with lower responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Informa	ation														
Company name*			Company unique ID			Unique ID Authority					Response Date*				
onsemi										2024-05-03					
Contact Name			Title - Contact				Phone - Contact*					Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
Requester	Requester Item Number Mfr Iter		Number Mfr Item Name				Effective Da	ate Versio	on 1	Manufacturing Site		W	eight*	UOM	Unit Type
	M74LCX G		X16373DTR2	73DTR2 LOG CMOS LATCH 16BIT			2024-05-03]	PH1		19	02.45	mg	Each
Manufacturing P	Proccess Information	1		-								·			
Terminal P	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-ST		J-STD-020 MS	L Rating	Peak Pr	Process Body Temperature		re Max Time at Peak Tempera		Temperatu	rature Number of Reflow Cycles		les
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		1) (no C	CU Alloy 1		1		260		C	30 seco		second	conds 3		
Comments															
evel 1 - maximum tir	me at peak temperature d	luring sol	dering is 10-3	0 seconds											
or more information	n regarding material com	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed			
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth				
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of			
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted			
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all			
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.								
Supplier Digital Signature Ra	stislav Drska	Le						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.3	mg	Supplier	Silicon (Si)	7440-21-3		2.3	mg	
Die Attach	3.83	mg	Supplier	Silver (Ag)	7440-22-4		2.8725	mg	
			Supplier	Epoxy resins	129915-35-1		0.9575	mg	
Lead Frame	60.05	mg	Supplier	Iron (Fe)	7439-89-6		1.1409	mg	
			Supplier	Copper (Cu)	7440-50-8		58.909	mg	
Mold Compound-Black	117.21	mg		Epoxy resin	proprietary data		5.8605	mg	
			Supplier	Phenolic Resin	Proprietary Data		5.8605	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.3442	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.586	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		102.5587	mg	
Plating	7.91	mg	Supplier	Palladium (Pd)	7440-05-3		0.6012	mg	
			В	Nickel (Ni)	7440-02-0		7.1981	mg	
			Supplier	Gold (Au)	7440-57-5		0.1107	mg	
Wire Bond - Au	1.15	mg	Supplier	Gold (Au)	7440-57-5		1.15	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)