ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES	IPC. Bannockt	ourn. Illinois. A	ll rights reserved un ntions.	nder both	This docum level parts, t	ent is a declaration er	n of the substa compasses all	nces within the manufactu lower level materials for v	urer listed which the	item. Note: if manufacturer	the item is an as has engineering	ssembly with lower responsibility.	
				Form Type Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information								
Supplier Information													
Company name* Company			any unique ID			Unique ID Authority				Response Date*			
onsemi						,				2024-05-18			
Contact Name Title - Contact			ict			Phone - Contact*			Email ·	Email - Contact*			
Product-Env-Stewards Product Envi			viro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repre			esentative		Phone - Representative*			Email ·	Email - Representative*				
Product-Env-Stewards Product			oduct Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item	n Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	MB10S	MB10S BR SOIC4 GPPN		0.5A 1000V		2024-05-18 TSCBE		TSCBE		120.4971	mg	Each	
Manufacturing Proccess Informa	ition												
Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy J	-STD-020 MSL	Rating	Peak Proce	ss Body Tempe	erature Max Time at Peal	k Tempera	ture Numbe	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed CU Alloy 1					260	С	30	seco	nds 3				
Comments													
evel 1 - maximum time at peak temperat	ure during sol	ldering is 10-3	0 seconds										
or more information regarding material	composition	please refer to	page 3										

RoHS Material Composition Declar	ation			Declaration Type *	Detailed
Directive 2015/863/EU amending Rol Directive 2011/65/EU	(Pb), Mercury (Hg), Hexav		ninated Biphenyls (PBB), Polybror	dmium and quantity limit of 0.1% by mass (100 ninated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polyb contains a RoHS restricted substance i encompass all such components.Suppl as of the date that Supplier completes Company acknowledges that Supplier independently verified information pro- certification in this paragraph.If the Co	rominated biphenyls and/or polybror nexcess of an applicable quantity lim ier certifies that it gathered the inforr this form.Supplier acknowledges that may have relied on informationprovi ovided by others, Supplier agrees that ompany and the Supplier enter into a clusivesource of the Supplier's liabili	ninated diphenyl ethers (each a "R it, please indicate below which, if nation it provides in this form usin Company will rely on this certifud ded by others in completing this f , at a minimum, itssuppliers have written agreement with respect to ty and the Company's remedies for	toHS restricted substance") in exce any, RoHS exemption you believe ag appropriate methods to ensure it cation in determining the complian orm, and that Supplier may not hav provided certifications regarding th the identified part, the terms and co or issues that arise regarding inform	ropean Union member states) of the part identifies so of the applicable quantity limit identified about may apply. If the part is an assembly with lows a accuracy and that such information is true and ce of its products with European Union member re independently verified such information. How heir contributions to the part, and those certifica motions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of
RoHS Declaration * 4	- Item(s) does not contain RoHS restr	icted substances per the definition	above except for selected exempti	ons Supplier Acceptance	* Accepted
Exemption: 7a: Lead in high meltin Exemption: 7c-I Electrical and elect	g temperature type solders (i.e. lead ronic components containing lead i	l based solder alloys containing n a glass or ceramic other than	85% by weight or more lead). dielectric ceramic in capacitors, o	e.g. piezoelectronic devices, or in a glass or ce	eramic matrix compound.
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the rec Requester) and click on Submit For			Supplier Acceptance drop-down	. This will display the signature area. Digital	ly sign the declaration (if required by the
Supplier Digital Signature	Rastislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	4.2759	mg	Supplier	Silicon (Si)	7440-21-3		4.0108	mg	
			В	Nickel (Ni)	7440-02-0		0.0385	mg	
			Supplier	Gold (Au)	7440-57-5		0.0214	mg	
			А	Lead Oxide (PbO)	1317-36-8	7c	0.2052	mg	
Die Attach Solder	9.08	mg	Supplier	Silver (Ag)	7440-22-4		0.227	mg	
			А	Lead (Pb)	7439-92-1	7a	8.399	mg	
			Supplier	Tin (Sn)	7440-31-5		0.454	mg	
Lead Frame	42.4673	mg	Supplier	Iron (Fe)	7439-89-6		0.0413	mg	
			Supplier	Copper (Cu)	7440-50-8		42.426	mg	
Mold Compound-Black	64.0639	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		6.4064	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.1921	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		51.059	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		6.4064	mg	
Plating	0.61	mg	Supplier	Tin (Sn)	7440-31-5		0.61	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).