ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pan-A	Bannockb	urn, Illinois. A	ll rights reserved u tions.	nder both	This docume level parts, t	ent is a decla he declaratio	tration of	the substand passes all lo	ces with wer lev	hin the manufacture vel materials for wh	er listed in hich the m	em. Not anufactu	te: if the urer has	item is an ass engineering re	embly with lower esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials						s and Mfg Information				
Supplier Information																
Company name* Company uniqu			que ID Unique !			Unique ID A	nique ID Authority					Response Date*				
onsemi											2024-05-03					
Contact Name Title - Contact					Phone - Contact*						Email - Contact*					
Product-Env-Stewards	o Compliance			NA					Product-Env-Stewards@onsemi.com							
Authorized Representative* Title - Representa			Pho Pho			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com							
Requester Item Number	Mfr Item	Mfr Item Number Mfr		Mfr Item Name		Effective D	ate Ver	ersion	Man	Manufacturing Site		Weight*		UOM	Unit Type	
	MC74HC	C74HC540ADTR2G LOG CMOS B		US INTRFCE OCTL		2024-05-03	3		PH4	PH4		59.28		mg	Each	
Manufacturing Proccess Informatio	n						-		-							
Terminal Plating / Grid Array Mater	ial T	Terminal Base Alloy		-STD-020 MS	0-020 MSL Rating		Peak Process Body Temp		rature Max Time at Peak T		Temperat	Temperature Number of		Reflow Cycle	es	
Precious metal (e.g. Ag,Au, NiPdAu) (no CU Sn)		U Alloy	y 1			260		C	30		secon	seconds 3				
Comments						· · · · · · · · · · · · · · · · · · ·						<u> </u>				
evel 1 - maximum time at peak temperature	during sol	dering is 10-3) seconds													
or more information regarding material cor	nposition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight 0.29	Unit of Measure		
Die	0.29	mg	Supplier	Silicon (Si)	7440-21-3					
Die Attach	2.46	mg		Epoxy resin	proprietary data		0.246	mg		
			Supplier	Silver (Ag)	7440-22-4		1.968	mg		
			Supplier	Formaldehyde Polymer	9003-36-5		0.246	mg		
Lead Frame 3	38.58	mg	Supplier	Iron (Fe)	7439-89-6		0.733	mg		
			Supplier	Copper (Cu)	7440-50-8		37.847	mg		
Mold Compound-Black	24.35	mg		Epoxy resin	proprietary data		1.2175	mg		
			Supplier	Phenol Resin	Proprietary Data		0.974	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.435	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.2435	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		19.48	mg		
Plating	3.44	mg	Supplier	Palladium (Pd)	7440-05-3		0.2614	mg		
			В	Nickel (Ni)	7440-02-0		3.1304	mg		
			Supplier	Gold (Au)	7440-57-5		0.0482	mg		
Wire Bond - Cu	0.16	mg	Supplier	Copper (Cu)	7440-50-8		0.16	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).