ABSOCIATION CONNECTING ELECTROWICS INDUSTRIES International and Pan-	C, Bannock	burn, Illinois. A	ll rights reserved un tions.	nder both	This docume level parts, t	ent is a decla the declaratio	ration of the s n encompass	substances es all lowe	within the m r level mater	anufacturer	listed iten ch the mar	n. Note: if ufacturer	the item is an ass has engineering i	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Information															
Company name* Com			Company unique ID			Unique ID Authority					Response Date*				
onsemi										2	2024-05-21				
Contact Name Title - Contact			et	Phone			hone - Contact*				Email - Contact*				
Product-Env-Stewards Product E			duct Enviro Compliance			NA				1	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Re			Representative F			Phone - Representative*				Email - Representative*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				]	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iten	Mfr Item Number Mfr It		Mfr Item Name		Effective D	ate Versior	n ]	Manufacturing Site		We	ight*	UOM	Unit Type	
	MC74L	MC74LVX8053DTR2 LOG CMOS M		TIPLXR 2CHAN 2		2024-05-21		]	PH1		45.	4	mg	Each	
Manufacturing Proccess Informati	on		•					·			·				
Terminal Plating / Grid Array Mat	erial	Ferminal Base Alloy J		-STD-020 MS	SL Rating Pea		Process Body Temperature Max Time		e at Peak To	Peak Temperature		Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no C Sn)		CU Alloy 1				260		C	C 30		seconds 3				
Comments												•			
evel 1 - maximum time at peak temperatur	e during so	ldering is 10-3	0 seconds												
or more information regarding material c	omposition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a that agreement, will be the sole and exclusives	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat and those of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, ium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall ents.Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, completes this form.Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. It Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not mation provided by others, Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the dies of Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.											
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weight		Veight Unit of Measure		Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.0	mg	Supplier	Silicon (Si)	7440-21-3		2	mg	
Die Attach	1.32	mg		Epoxy resin	proprietary data		0.132	mg	
			Supplier	Silver (Ag)	7440-22-4		1.056	mg	
			Supplier	Formaldehyde Polymer	9003-36-5		0.132	mg	
Lead Frame	20.76	mg	Supplier	Iron (Fe)	7439-89-6		0.3944	mg	
			Supplier	Copper (Cu)	7440-50-8		20.3656	mg	
Mold Compound-Black	19.0	mg		Epoxy resin	proprietary data		0.95	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.38	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.475	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.095	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		17.1	mg	
Plating	2.12	mg	Supplier	Palladium (Pd)	7440-05-3		0.1611	mg	
			В	Nickel (Ni)	7440-02-0		1.9292	mg	
			Supplier	Gold (Au)	7440-57-5		0.0297	mg	
Wire Bond - Au	0.2	mg	Supplier	Gold (Au)	7440-57-5		0.2	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).