IPC ASSOCIATION ELECTRONIE	Material Comp © Copyright 2005. Il international and Par	osition Dec PC, Bannockb -American co	claration ourn, Illinois. A opyright conve	All rights reserved untions.	under both									the item is an as has engineering	ssembly with low responsibility.
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mfg Information				
Supplie	r Information														
Company name* Company unique ID				ique ID		Unique ID Authority					Response Date*				
nsemi											2024-05-03				
Contact N	Name	Title - Contact			1	Phone - Contact*					Email - Contact*				
Product-	Env-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*	Title - Representative			1	Phone - Representative*				Email - Representative*					
Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	e Date Version Manufacturing Site		ing Site	V	/eight*	UOM	Unit Type	
		MPSA29-D26Z MPSA29_D2		MPSA29_D26Z	5Z		2024-05-03			CNF		219.0385		mg	Each
I anufa	ecturing Process Informa	tion													
	Terminal Plating / Grid Array Material T		Ferminal Base Alloy J-STD-0		J-STD-020 MSL	Rating	Peak Process Body Temper		y Temperatu	ture Max Time at Peak Temp		Temperatu	re Numbe	er of Reflow Cy	cles
Matte Tin (Sn) - annealed C		CU Alloy NA			0 C 3		30		seconds 3						
omments	S														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.075	mg	Supplier	Silicon (Si)	7440-21-3		0.075	mg
Die Attach	0.0375	mg	Supplier	Silver (Ag)	7440-22-4		0.0319	mg
			Supplier	Phenolic Resin	Proprietary Data		0.0056	mg
Lead Frame	101.0	mg	Supplier	Silver (Ag)	7440-22-4		0.0101	mg
			Supplier	Iron (Fe)	7439-89-6		0.101	mg
			Supplier	Copper (Cu)	7440-50-8		100.8586	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0303	mg
Mold Compound-Black	112.0			Phenol Resin	proprietary data		11.2	mg
			Supplier	Carbon Black (C)	1333-86-4		1.12	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		86.24	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		13.44	mg
Plating	5.85	mg	Supplier	Tin (Sn)	7440-31-5		5.85	mg
Wire Bond - Au	0.076	mg	Supplier	Gold (Au)	7440-57-5		0.076	mg