ASSOCIATION CONNECTION ELECTRONICS INDUSTRI	Material Composi © Copyright 2005. IPC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard  Form Typ  http://www.ipc.org/IPC-175x  Form Typ  Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfg Information				
upplier Inform	nation														
Company name*			Company unique ID			Uniqu	Unique ID Authority					Response Date*			
nsemi											2024-05-05				
Contact Name			Title - Contact			Phone	Phone - Contact*				Email - Contact*				
Product-Env-Stew	ards		Product Enviro Compliance			NA	NA				Product-Env-Stewards@onsemi.com				
uthorized Repres	entative*		Title - Representative			Phone	Phone - Representative*				Email - Representative*				
Product-Env-Stew	ards		Product Enviro Compliance			NA	, NA				Product-Env-Stewards@onsemi.com				
Request	Requester Item Number Mfr Ite		Number	Mfr Item Name		Effec	Effective Date Version Manufacturi		Manufacturing Site	Weight*		UOM	Unit Type		
		N01S8301	HAT22ET	AUTOMOTIVE	, 1MB 3.V hold fnc, TSS	OP 2024	-05-05		,	ТН6		32.92	mg	Each	
Ianufacturing	Process Informatio	n				,		•							
Terminal Plating / Grid Array Material		ial Te	Terminal Base Alloy J-STD-0		J-STD-020 MSL Rating	]	Peak Process Body Tempe		emperatu	ture Max Time at Peak Tempe		ture Numb	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed		C	CU Alloy 3		2	260   C   30		secon	nds 3						
omments															
TTENTION: MS	L 3 Rated item requires B	ake and Di	ry Pack (after	r electrical test)											
or more informat	ion regarding material co	nposition p	olease refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure it accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have not written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.65	mg	Supplier Silicon (Si)		7440-21-3		1.65	mg
Die Attach	0.9	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.18	mg
			Supplier	Silver (Ag)	7440-22-4		0.72	mg
Lead Frame	10.6	mg	Supplier	Magnesium (Mg)	7439-95-4		0.0159	mg
			Supplier	Silicon (Si)	7440-21-3		0.0689	mg
			В	Nickel (Ni)	7440-02-0		0.318	mg
			Supplier	Copper (Cu)	7440-50-8		10.1972	mg
Mold Compound-Black	19.11	mg		Epoxy Phenol Resin	proprietary data		2.6754	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		16.4346	mg
Plating	0.44	mg	Supplier	Tin (Sn)	7440-31-5		0.44	mg
Wire Bond - Au	0.22	mg	Supplier	Gold (Au)	7440-57-5		0.22	mg