IPC ASSOCIATION CONNEC	© Copyright 2005. IPC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This docu level parts	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfc Information			
upplier Info	mation								,					
Company name*			Company unique ID			Unique ID Authority				Response Date*				
nsemi			1								2024-05-21			
Contact Name			Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Ste	wards		Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Repre	esentative*		Title - Representative			Phone - Rep	Phone - Representative*			Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com					
Reque	ester Item Number			Mfr Item Name		Effective D	ate V	ersion	Manufacturing Site	Weig	ht*	UOM	Unit Type	
				3 Amp VTT Termin DDR2, DDR3, LPI	nation Regulator DDR1, DDR3, DDR4	2024-05-21	MY1		22.9		mg	Each		
<b>Ianufacturin</b>	g Proccess Information	on												
Terminal Plating / Grid Array Material Terminal Base			inal Base Alloy J-STD-020 MSL Rating Peak F				ak Process Body Temperature   Max Time at Peak Temperature   Number of Reflow Cycles							
Matte Tin (Sn) - annealed			CU Alloy 1			260	260 C 30		seconds	3				
omments														
vel 1 - maximun	n time at peak temperature	e during solo	dering is 10-3	0 seconds										
or more informa	ation regarding material co	omposition r	olease refer to	page 3										

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its uppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.6	mg	Supplier	Silicon (Si)	7440-21-3		0.6	mg
Die Attach	0.2	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.012	mg
			Supplier	Silver (Ag)	7440-22-4		0.163	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.012	mg
			Supplier	Misc.	Proprietary Data		0.001	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.012	mg
Lead Frame	7.06	mg	Supplier	Tin (Sn)	7440-31-5		0.0176	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0155	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0176	mg
			Supplier	Copper (Cu)	7440-50-8		7.0092	mg
Lead Frame plating	0.14	mg	Supplier	Silver (Ag)	7440-22-4		0.14	mg
Mold Compound-Black	13.6			Epoxy resin	proprietary data		0.6392	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.36	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0136	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		10.948	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.6392	mg
Plating	1.1	mg	Supplier	Tin (Sn)	7440-31-5		1.1	mg
Wire Bond - Au	0.2	mg	Supplier	Gold (Au)	7440-57-5		0.2	mg