ABSOCIATION CONNECTING LECTRONICS INDUSTRIES® INCLUSTRIES®	. Bannockh	ourn, Illinois, A	ll rights reserved utions.	under both	This docume level parts, t	ent is a declaration e	ion of the su	ibstances v s all lower	vithin the manufactu level materials for w	rer listed	tem. Note: nanufacture	if the item is an as er has engineering	sembly with lower responsibility.
				Form Type ' Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				ials and N	als and Mfg Information			
Supplier Information													
Company name*	Company unique ID				Unique ID Authority					Response Date*			
onsemi									2024-05	2024-05-05			
Contact Name	tact Name Title - Contact					Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Envir			wiro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - I			tle - Representative			Phone - Representative*				Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		ber Mfr Item Name			Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type
	NRVTS: AG	TS360ETFSWFT 3A 60V Trench Scho flanks		Schottky u8FL we	ettable	2024-05-05		MY1			32.25	mg	Each
Manufacturing Proccess Informatio	n												
Terminal Plating / Grid Array Mater	Plating / Grid Array Material Terminal Base Alloy J-			J-STD-020 MSL	Rating	Peak Process Body Temperature Max Time at Peak Te					ture Num	ber of Reflow Cyc	les
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	nds 3			
Comments													
level 1 - maximum time at peak temperature	during sol	ldering is 10-3	0 seconds										
For more information regarding material co	mposition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select	the Level (JIG A, JIG B)	. Requester or Supplier) [B	l select the substa	ance category (JIG or Requester) or enter	a value (Supplier). [C] selec	t the substance (J	[G] or enter the substa	nce and CAS (Other). [D]
select a RoHS exemption, if applied sigma range of distribution unless	cable [E] enter the weigh	t of the substance or the Pl	PM concentration	[F] Optionally enter the positive (+) and	negative (-) tolerance in per	cent (Note: percer	nt tolerance values are	expected to cover a 3
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Evenut	Weight	Unit of Measure
8	8					Exempt	8	
Clip	2.98	mg	Supplier	Zinc (Zn)	7440-66-6		0.0036	mg
			Supplier	Iron (Fe)	7439-89-6		0.07	mg
			Supplier	Copper (Cu)	7440-50-8		2.9055	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0009	mg
Die	0.47	mg	Supplier	Silicon (Si)	7440-21-3		0.47	mg
Die Attach Solder	0.79	mg	Supplier	Silver (Ag)	7440-22-4		0.0198	mg
			А	Lead (Pb)	7439-92-1	7a	0.7308	mg
			Supplier	Tin (Sn)	7440-31-5		0.0395	mg
Lead Frame	12.27	mg	Supplier	Iron (Fe)	7439-89-6		0.0123	mg
			Supplier	Copper (Cu)	7440-50-8		12.254	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0037	mg
Lead Frame plating	0.14	mg	Supplier	Silver (Ag)	7440-22-4		0.14	mg
Mold Compound-Black	15.0	mg		Epoxy resin	proprietary data		1.125	mg
			Supplier	Phenolic Resin	Proprietary Data		0.375	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.125	mg
			Supplier	Carbon Black (C)	1333-86-4		0.075	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		12.3	mg
Plating	0.6	mg	Supplier	Tin (Sn)	7440-31-5		0.6	mg