ASSOCIATION CONNECT: ELECTRONICS INDUSTR	Material Compos © Copyright 2005. IPC international and Pan-A	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfg Information			
upplier Inform	mation													
Company name*			Company unique ID			Unique	Unique ID Authority				Response Date*			
onsemi							I				2024-05-18			
Contact Name			Title - Contact			Phone -	Phone - Contact*				Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance			NA	NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone -	Phone - Representative*				Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance			NA	NA				Product-Env-Stewards@onsemi.com			
Reques	equester Item Number Mfr Item		m Number Mfr Item Name			Effecti	ve Date			Weight*	UOM	Unit Type		
		NTMTS1D5N08MC PTNG 80V in Cebu market		bu PQFN88 for industr	al 2024-0	)5-18	РВВ			319.28	mg	Each		
<b>Ianufacturing</b>	g Proccess Informatio	on												
Terminal Plating / Grid Array Material T			erminal Base Alloy J-STD-020 MSL		-STD-020 MSL Rating	Pe	Peak Process Body Temperature Ma		e Max Time at Peak	Tempera	ture Numb	er of Reflow Cyc	eles	
Matte Tin (Sn) - annealed		$\mathbf{c}$	CU Alloy 1		ļ	26	0	C 30		secon	ids 3			
omments														
vel 1 - maximum	time at peak temperature	during sol	dering is 10-3	0 seconds										
or more informat	tion regarding material co	mposition r	please refer to	page 3										

RoHS Material Composition Declaration			Declaration Type *	Detailed						
ricetive 2015/863/EU amending RoHS irrective 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Isability and the Company's remedies for issues that arise regarding information the Supplier pro										
RoHS Declaration * 4 - Item(s	) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-En								

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	86.1	mg	Supplier	Zinc (Zn)	7440-66-6		0.1033	mg
			Supplier	Iron (Fe)	7439-89-6		2.0234	mg
			Supplier	Copper (Cu)	7440-50-8		83.9475	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0258	mg
Die	6.27	mg	Supplier	Silicon (Si)	7440-21-3		6.27	mg
Die Attach Solder	15.3	mg	Supplier	Silver (Ag)	7440-22-4		0.3825	mg
			A	Lead (Pb)	7439-92-1	7a	14.1525	mg
			Supplier	Tin (Sn)	7440-31-5		0.765	mg
Lead Frame	103.2	mg	Supplier	Silver (Ag)	7440-22-4		0.0826	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1238	mg
			Supplier	Iron (Fe)	7439-89-6		2.4252	mg
			Supplier	Copper (Cu)	7440-50-8		100.5374	mg
			Supplier	Phosphorus (P)	7723-14-0		0.031	mg
Mold Compound-Black	103.88			Epoxy resin	proprietary data		5.194	mg
			Supplier	Phenolic Resin	Proprietary Data		2.3892	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		5.194	mg
			Supplier	Carbon Black (C)	1333-86-4		0.4155	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		2.3892	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		88.298	mg
Plating	4.48	mg	Supplier	Tin (Sn)	7440-31-5		4.48	mg
Wire Bond - Cu	0.05	mg	Supplier	Copper (Cu)	7440-50-8		0.05	mg