IPC ASSOCIATION ELECTRONIC		Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All r international and Pan-American copyright convention		all rights reserved un	nder both le	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1					Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				erials and I	ials and Mfg Information				
upplie	r Information														
Company name*				Company unique ID			Unique ID Authority				Respon	Response Date*			
onsemi											2024-0	2024-05-18			
Contact N	Name	Title - Conta	Title - Contact			Phone - Contact*				Email	Email - Contact*				
Product-l	Env-Stewards		Product Enviro Compliance			1	NA				Produ	Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*		Title - Representative			P	Phone - Representative*				Email	Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance			1	NA				Produ	Product-Env-Stewards@onsemi.com			
	Requester Item Number Mfr It		m Number Mfr Item Name				Effective Date	Version	M	Manufacturing Site		Weight*	UOM	Unit Type	
		NTTFSS	VTTFSS1D1N02P1E 25V PT11E in 3x3 SI		S SD package		2024-05-18		РВВ			23.8552	mg	Each	
Ianufa	acturing Process Inform	nation													
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-0		-STD-020 MSL I	Rating	Peak Process Body Temperatur		Max Time at Per	ak Temper	ature Number	er of Reflow Cyc	eles		
Matte Tin (Sn) - annealed			CU Alloy 1				260 C 30			seco	seconds 3				
omments	S														
<u>vel 1 - m</u>	naximum time at peak tempe	rature during so	ldering is 10-3	0 seconds											
or more	information regarding mater	rial composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges that Gumpany will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itssuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		'Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	astislav Drska	-6_								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	0.7921	mg	Supplier	Zinc (Zn)	7440-66-6		0.001	mg
			Supplier	Iron (Fe)	7439-89-6		0.0186	mg
			Supplier	Copper (Cu)	7440-50-8		0.7723	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0002	mg
Die	0.2304	mg	Supplier	Silicon (Si)	7440-21-3		0.2304	mg
Die Attach Solder	2.3142	mg	Supplier	Silver (Ag)	7440-22-4		0.0579	mg
			A	Lead (Pb)	7439-92-1	7a	2.1406	mg
			Supplier	Tin (Sn)	7440-31-5		0.1157	mg
Lead Frame	8.5632	mg	Supplier	Silver (Ag)	7440-22-4		0.4282	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0103	mg
			Supplier	Iron (Fe)	7439-89-6		0.2055	mg
			Supplier	Copper (Cu)	7440-50-8		7.9124	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0069	mg
Mold Compound-Black	11.5253	mg		Proprietary	proprietary data		0.922	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0576	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		10.5456	mg
Plating	0.43	mg	Supplier	Tin (Sn)	7440-31-5		0.43	mg