ASSOCIATION CONNE ELECTRONICS INDUS	Material Composit © Copyright 2005. IPC, I international and Pan-Am	Bannockbi	urn, Illinois. A	Il rights reserved untions.	under both	This docum level parts, t	ent is a declar he declaratio	ation of the encomp	ne substance asses all low	s within the r er level mate	nanufactur rials for wh	er listed it hich the m	em. Note anufactur	: if the item is ar rer has engineeri	assembly with lower	
1752-21.1					Form Type Distribute	 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater 					ous Materia	als and Mfg Information				
Supplier Info	ormation															
Company name [*]	*	Company unique ID			Unique ID Authority					Response Date*						
onsemi											2024-05-21					
Contact Name		Title - Contact				Phone - Contact*					Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-St	tewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requ	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Da	te Vers	Version Manufacturing Site		v	Veight*	UOM	Unit Type		
		SB05-05C-TB-E SCI		SCHOTTKY DIODE 0.5A 50V			2024-05-21			CNG		1	2.0	mg	Each	
Manufacturi	ing Proccess Information	l		·			·									
Termi	Terminal Plating / Grid Array Material Term			rminal Base Alloy J-STD-020 MSL			Peak Process Body Temperature Max Time at Pe			ne at Peak	k Temperature Number of Reflow Cycles					
contains Bi CU Alloy			U Alloy		1		260		С	30		second	ls 3			
Comments																
level 1 - maximu	um time at peak temperature d	uring sole	dering is 10-3	0 seconds												
For more inform	nation regarding material com	position p	olease refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.22	mg	Supplier	Silicon (Si)	7440-21-3		0.22	mg
Lead Frame	2.79	mg	Supplier	Silver (Ag)	7440-22-4		0.043	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0025	mg
			Supplier	Manganese (Mn)	7439-96-5		0.0209	mg
			Supplier	Silicon (Si)	7440-21-3		0.0078	mg
			В	Nickel (Ni)	7440-02-0		1.0917	mg
			Supplier	Iron (Fe)	7439-89-6		1.5077	mg
			Supplier	Copper (Cu)	7440-50-8		0.1161	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0003	mg
Mold Compound-Black	8.75	mg	В	Brominated Bisphenol A Diglycidyl Ether	40039-93-8		0.2188	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.1312	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0875	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		1.3125	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.875	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		6.125	mg
Plating	0.22	mg	В	Bismuth (Bi)	7440-69-9		0.0013	mg
			Supplier	Tin (Sn)	7440-31-5		0.2187	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).