



Product Overview

MMBT2369AL: NPN Bipolar Transistor

For complete documentation, see the data sheet

Product Description

This NPN Bipolar Transistor is designed for general purpose switching applications and is housed in the SOT-23 surface mount package. This device is ideal for low-power surface mount applications.

Features

- These Devices are PbFree, Halogen Free/BFR Free and are RoHS Compliant
- S Prefix for Automotive and Other Applications Requiring Unique Site and Control Change Requirements; AEC-Q101 Qualified and PPAP Capable

Part Electrical Specifications

Product	Compliance	Status	Polarity	I <sub>C</sub> Continuous (A)	V <sub>(BR)CEO</sub> Min (V)	h <sub>FE</sub> Min	h <sub>FE</sub> Max	f <sub>T</sub> Min (MHz)	P <sub>TM</sub> Max (W)	Package Type
MMBT2369ALT1G	AEC Qualified	NEW	NPN	0.2	15	40	120	-	0.225	SOT-23-3
	Pb-free									
	Halide free									
SMMBT2369ALT1G	AEC Qualified	Active	NPN	0.2	15	40	120	-	0.225	SOT-23-3
	PPAP Capable									
	Pb-free									
	Halide free									

For more information please contact your local sales support at [www.onsemi.com](http://www.onsemi.com)

Created on: 7/11/2015