IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x	This document is a declaration of the substances within the manufacturer listed item. Note: if the item dunder both level parts, the declaration encompasses all lower level materials for which the manufacturer has engin	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowel level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.					
Company name* Company name* Company unique ID Unique ID Authority Description Contact Name Title - Contact Phone - Contact* Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Authorized Representative* Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards@onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM  Manufacturing Proccess Information  Manufacturing Proccess Information  Terminal Plating / Grid Array Material Terminal Base Alloy  J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles		ials and Mfg Information					
nsemi 2025-06-07  Ontact Name Title - Contact Phone - Contact* Email - Contact*  Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com uthorized Representative* Phone - Representative* Email - Representative*  Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM  IN4755A-T50A 43V IW 5% ZENER DO41 2025-06-07 CN2 324.186 mg  Manufacturing Proccess Information  Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles							
Product-Env-Stewards Product-E	Unique ID Authority Response Date*	Response Date*					
Product-Env-Stewards Authorized Representative* Title - Representative Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards Product-Env-St	2025-06-07						
Title - Representative Product Enviro Compliance NA Product Env-Stewards ©onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM IN4755A-T50A 43V 1W 5% ZENER DO41 2025-06-07 CN2 324.186 mg  Manufacturing Proccess Information  Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles	Phone - Contact* Email - Contact*	Email - Contact*					
Product-Env-Stewards  Requester Item Number  Mfr Item Number  Deffective Date  Deffective D	NA Product-Env-Stewards@on	Product-Env-Stewards@onsemi.com					
Requester Item Number	Phone - Representative* Email - Representative*	Email - Representative*					
IN4755A-T50A 43V 1W 5% ZENER DO41 2025-06-07 CN2 324.186 mg    Inaufacturing Process Information   Terminal Plating / Grid Array Material   Terminal Base Alloy   J-STD-020 MSL Rating   Peak Process Body Temperature   Max Time at Peak Temperature   Number of Reflow Cycles   Number of Reflow Cycles   Peak Process Body Temperature   Peak Process	NA Product-Env-Stewards@on	Product-Env-Stewards@onsemi.com					
Anufacturing Process Information         Terminal Plating / Grid Array Material       Terminal Base Alloy       J-STD-020 MSL Rating       Peak Process Body Temperature       Max Time at Peak Temperature       Number of Reflow Cycles	e Effective Date Version Manufacturing Site Weight* UON	Unit Type					
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles	ENER DO41 2025-06-07 CN2 324.186 mg	Each					
	I STD 020 MSI Poting Peak Process Peak Tomporature May Time at Peak Tomporature Number of Peak	w Cualos					
		w Cycles					
omments	Tria 10 10 150 Seconds 15						

RoHS Material Composition Declaration			Declaration 7	Гуре *	Detailed		
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% b (Pb), Mercury (Hg), Hexavalent Chromium phthalate (BBP), Dibutyl phthalate (DBP), I	(Cr6+), Polybrominated Biphenyls (PB					
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the properties and the substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and be as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier's not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier is a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.							
RoHS Declaration * 4 - Item(s	does not contain RoHS restricted substances	per the definition above except for sele	ted exemptions	Supplier Acceptance	* Accepted		
Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.							
Exemption List Version	EL-2011/534/EU						
Declaration Signature							
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.							
Supplier Digital Signature Ra	astislav Drska	E					

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
CSS Wire	202.316	mg	Supplier	Sulfur (S)	7704-34-9		0.1012	mg
			Supplier	Carbon (C)	7440-44-0		1.0116	mg
			Supplier	Manganese (Mn)	7439-96-5		0.4046	mg
			Supplier	Iron (Fe)	7439-89-6		129.988	mg
			Supplier	Copper (Cu)	7440-50-8		70.7094	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1012	mg
Die	0.093	mg	Supplier	Silicon (Si)	7440-21-3		0.093	mg
Dumet Wire	57.927	mg	Supplier	Manganese (Mn)	7439-96-5		0.5213	mg
			Supplier	Silicon (Si)	7440-21-3		0.2317	mg
			В	Nickel (Ni)	7440-02-0		18.3339	mg
			Supplier	Iron (Fe)	7439-89-6		25.2851	mg
			Supplier	Copper (Cu)	7440-50-8		13.5549	mg
Glass Encapsulation	60.33	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		1.8099	mg
			A	Lead Oxide (PbO)	1317-36-8	7c	36.922	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0302	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		2.2624	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		19.3056	mg
Plating	3.52	mg	Supplier	Tin (Sn)	7440-31-5		3.52	mg