IPC ASSOCIATION OF	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			der both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No. Homogeneous Mater					ials and Mfg Information			
upplier l	Information														
Company name*				ompany unique ID			Unique ID Authority				Response Date*				
nsemi											2024-04-25				
Contact Nai	me		Title - Contact			I	Phone - Contact*				Email - Contact*				
Product-En	nv-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized	Representative*	Title - Representative			I	Phone - Representative*			Email - Representative*						
Product-En	nv-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
]	Requester Item Number	Mfr Item	•	Mfr Item Name			Effective Date	Version	N	Manufacturing Site		eight*	UOM	Unit Type	
		1SV249-TL-E PIN Di SERIES		PIN Di SERIES rs 4	4.5 ohm		2024-04-25 CNG		NG	6.	29	mg	Each		
	turing Proccess Inform		Carminal Rasa	Alloy	STD-020 MS	I. Pating	Pank Proce	see Rody Te	amparatur	e Max Time at Peak	Tamparatu	ra Numb	per of Reflow Cyc	Jac	
		Terminal Base Alloy J-STI CU Alloy 1		51D-020 MS	L Kaung	Peak Process Body Temper		Τ'				ber of Kellow Cyc	ries		
	ontains Di		Alloy	1			200		IC	30	second	5 3			
omments	ximum time at peak tempera	tuno dunina sal	Idoring is 10.	20 seconds											
	ximum time at peak tempera iformation regarding materia	8													

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.08	mg	Supplier	Silicon (Si)	7440-21-3		0.08	mg
Lead Frame	2.67		Supplier	Silver (Ag)	7440-22-4		0.0697	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0051	mg
			Supplier	Iron (Fe)	7439-89-6		0.0676	mg
			Supplier	Copper (Cu)	7440-50-8		2.524	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0037	mg
Mold Compound-Black	3.37			Brominated epoxy resin	proprietary data		0.0842	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		0.0708	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0404	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0337	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.359	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.7751	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.0067	mg
Plating	0.15	mg	В	Bismuth (Bi)	7440-69-9		0.0009	mg
			Supplier	Tin (Sn)	7440-31-5		0.1491	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg