Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IDC Web Site for Information on IDC 1752 Standard Form Type				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	rials and Mfg Information				
Supplie	r Information														
Company name*				Company unique ID			Unique ID Authority					Response Date*			
onsemi												2025-06-06			
Contact N	lame	Title - Contact				Phone - Contact*				Email - Contact*					
Product-l	Env-Stewards		Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com			
Authorize	ed Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufacturing Site		ing Site	W	eight*	UOM	Unit Type		
		2N64910	2N6491G BIP T0220 PNP 1		A 80V		2025-06-06			CN5		19	962.0	mg	Each
Aanufa	cturing Proccess Informa	tion						,							·
	Terminal Plating / Grid Array M	Germinal Base Alloy J-STD-020 M		STD-020 MSI	_ Rating	Peak Process Body Temperature Max T		re Max Tir	ne at Peak	Temperatu	re Numb	er of Reflow Cy	eles		
	Matte Tin (Sn) - annealed		CU Alloy NA		A		0		C	30		second	s 3		
Comments	3		·	·								·			·
or more	information regarding material	composition	nlesse refer to	naga 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and/Conditions of Sale applicable to such part shall apply.										
RoHS Declaration * 4 - Item(s	s) does not contain RoHS restricted substance	ces per the definition above except for selected exer	nptions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead). Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature R		,								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.55	mg	Supplier	Silicon (Si)	7440-21-3		3.5145	mg
			Supplier	Lead Bisilicate	65997-18-4	7c	0.0355	mg
Die Attach Solder	82.98	mg	Supplier	Silver (Ag)	7440-22-4		2.0745	mg
			A	Lead (Pb)	7439-92-1	7a	76.7565	mg
			Supplier	Tin (Sn)	7440-31-5		4.149	mg
Lead Frame	1300.04	mg	Supplier	Iron (Fe)	7439-89-6		1.3	mg
			Supplier	Copper (Cu)	7440-50-8		1298.35	mg
			Supplier	Phosphorus (P)	7723-14-0		0.39	mg
Mold Compound	543.9		Supplier	Ortho Cresol Novolac Resin	29690-82-2		108.78	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		2.7195	mg
			Supplier	Carbon Black (C)	1333-86-4		2.7195	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		43.512	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		386.169	mg
Plating	31.12	mg	Supplier	Tin (Sn)	7440-31-5		31.12	mg
Wire Bond - Al	0.41	mg	Supplier	Aluminum (Al)	7429-90-5		0.41	mg