ABSOCIATION CONNECTING ELECTRONICE INDUSTRIES INTERNAL MALE INDUSTRIES INDUSTRIES INTO A CONNECTING INTERNAL OF A CONNECT	ekburn. Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declarat he declaration e	on of the suncompasse	ubstances s all lowe	within the manu r level materials	facturer liste for which the	d item. Not e manufact	te: if the item is urer has engine	s an assembly with eering responsibilit	ı lower ty.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribution			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mfg Information				
Supplier Information														
Company name* Company unique ID				Unique ID Authority					Resp	Response Date*				
nsemi										2024-09-20				
Contact Name	Title - Contact]	Phone - Contact*				Emai	Email - Contact*				
roduct-Env-Stewards Product Enviro Compliance				NA					Prod	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative				Phone - Representative*			Emai	Email - Representative*						
Product-Env-Stewards Product Enviro Comp			Compliance		NA			Prod	Product-Env-Stewards@onsemi.com					
Requester Item Number Mfr I	em Number	Mfr Item Name			Effective Date	Version]	Manufacturing Site		Weight*	UOM	Unit T	уре	
ADM	021AARQZ-R PIN COMP TO ADM		ADM1021		2024-09-20 PH		PH1	1		mg	Each			
Manufacturing Proccess Information														
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STD-02		J-STD-020 MSL	Rating	Peak Proc	ak Process Body Temperat		ure Max Time at Peak Temper		rature Nu	umber of Reflo	w Cycles		
Matte Tin (Sn) - annealed CU Alloy 1		1		260		С	30	sec	conds 3					
Comments														
evel 1 - maximum time at peak temperature during	soldering is 10-3	0 seconds												
for more information regarding material compositi	on please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	ouler wise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.3	mg	Supplier	Silicon (Si)	7440-21-3		1.3	mg
Die Attach	0.31	mg		Epoxy resin	proprietary data		0.0078	mg
			Supplier	Silver (Ag)	7440-22-4		0.248	mg
			Supplier	Polybutadiene polymer	Proprietary Data		0.0202	mg
			Supplier	Acrylic resins	Proprietary Data		0.0341	mg
Lead Frame	31.11	mg	Supplier	Silver (Ag)	7440-22-4		0.4449	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0373	mg
			Supplier	Iron (Fe)	7439-89-6		0.7218	mg
			Supplier	Copper (Cu)	7440-50-8		29.8967	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0093	mg
Mold Compound-Black	43.0	mg		Epoxy resin	proprietary data		3.01	mg
			Supplier	Phenolic Resin	Proprietary Data		1.29	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		4.3	mg
			Supplier	Carbon Black (C)	1333-86-4		0.215	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		34.185	mg
Plating	0.86	mg	Supplier	Tin (Sn)	7440-31-5		0.86	mg
Wire Bond - Au	0.42	mg	Supplier	Gold (Au)	7440-57-5		0.42	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).