ASSOCIATION ELECTRONIC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights resulted international and Pan-American copyright conventions.			Il rights reserved und	der both	This docume level parts, th	ent is a declaration	ation of the	e substances sses all lowe	within the manufacturer level materials for w	rer listed i	tem. Note:	if the item is an as er has engineering	ssembly with lower responsibility.	
1752-21.1	1 IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute									ials and Mfg Information					
Supplier	· Information														
Company name*				Company unique ID			Unique ID Authority					Response Date*			
onsemi											2024-04	2024-04-24			
Contact N	ame		Title - Contact			I	Phone - Contact*				Email - Contact*				
Product-I	Env-Stewards		Product Enviro Compliance]	NA				Product-Env-Stewards@onsemi.com				
Authorize	d Representative*	Title - Representative			I	Phone - Representative*				Email - Representative*					
Product-H	Env-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number	Mfr Item	Number Mfr Item Name				Effective Da	te Versi	on I	Manufacturing Site		Weight*	UOM	Unit Type	
	AMIS30624C6244RG 12C 800MA STEI		I2C 800MA STEPF	PER DRIVE	2	2024-04-24 PHG		PHG		612.57	mg	Each			
Manufa	cturing Proccess Informa	ation						·						·	
	Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy J-S	STD-020 MS	MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles						eles			
Matte Tin (Sn) - annealed CU Alloy			2	2		260		C	30	30 seco		onds 3			
Comments															
ATTENTI	ON: MSL 2 Rated item requir	es Dry Pack (a	fter electrical	test)											
or more	information regarding materia	l composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight 35.93	Unit of Measure
Die	35.93	mg	Supplier	Silicon (Si)	7440-21-3			
Die Attach	6.55	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		1.5065	mg
			Supplier	Silver (Ag)	7440-22-4		5.0435	mg
Lead Frame	188.57	mg	Supplier	Zinc (Zn)	7440-66-6		0.1886	mg
			Supplier	Iron (Fe)	7439-89-6		4.3371	mg
			Supplier	Copper (Cu)	7440-50-8		183.8558	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1886	mg
Mold Compound-Black	377.0	mg		Epoxy Phenol Resin	proprietary data		39.585	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		337.415	mg
Plating	3.7	mg	Supplier	Tin (Sn)	7440-31-5		3.7	mg
Wire Bond - Au	0.82	mg	Supplier	Gold (Au)	7440-57-5		0.82	mg