| ASSOCIATION CONNECTING<br>LECTRONICS INDUSTRIES<br>INDUSTRIES | nockburn, Illinois, A   | ll rights reserved un<br>ations. | der both This d   | ocument<br>parts, the   | is a declaratio declaration en | n of the substance<br>compasses all low | es within the manufacture<br>over level materials for wh | er listed it hich the m | em. Note: if t<br>anufacturer h | he item is an as<br>as engineering | sembly with lower responsibility. |  |
|---|---|----------------------------------|-------------------|---|--------------------------------|---|--|-------------------------|---------------------------------|------------------------------------|-----------------------------------|--|
|   | IPC Web Site for Information on IPC-1752 Standard Form Type<br>http://www.ipc.org/IPC-175x Distribute |                                  |                   | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information |                                |   |  |                         |                                 |                                    |                                   |  |
| Supplier Information  |   |                                  |                   |   |                                |   |  |                         |                                 |                                    |                                   |  |
| Company name*   | any name* Company unique ID   |                                  |                   | Unique ID Authority   |                                |   |  | Response Date*          |                                 |                                    |                                   |  |
| onsemi  |   |                                  |                   |   |                                |   |  |                         | 2024-04-23                      |                                    |                                   |  |
| Contact Name  | Title - Contac  | Title - Contact                  |                   |   | Phone - Contact*               |   |  | Email - Contact*        |                                 |                                    |                                   |  |
| Product-Env-Stewards  | Product Envi  |                                  | N                 | NA  |                                |   | Product-Env-Stewards@onsemi.com                          |                         |                                 |                                    |                                   |  |
| Authorized Representative*                                    | orized Representative* Title - Representative   |                                  |                   | Phone - Representative*   |                                |   |  | Email - Representative* |                                 |                                    |                                   |  |
| Product-Env-Stewards Product Enviro Compliance                |   |                                  | NA                |   |                                |   | Product-Env-Stewards@onsemi.com                          |                         |                                 |                                    |                                   |  |
| Requester Item Number Mf                                      | r Item Number   | Mfr Item Name                    |                   | E   | ffective Date                  | Version                                 | Manufacturing Site                                       |                         | Veight*                         | UOM                                | Unit Type                         |  |
| AN  | AIS42770ICAW1G  | 42770ICAW1G HS CAN REPEAT        |                   | 20  | 024-04-23                      |   | PHG  | 6                       | 512.57                          | mg                                 | Each                              |  |
| Manufacturing Proccess Information                            |   |                                  |                   |   |                                | •                                       |  |                         |                                 | ·                                  | ·                                 |  |
| Terminal Plating / Grid Array Material                        | Terminal Base Alloy J-  |                                  | STD-020 MSL Ratin | g   | Peak Process Body Temperature  |   | ure Max Time at Peak                                     | Temperatu               | ure Number                      | of Reflow Cyc                      | eles                              |  |
| Matte Tin (Sn) - annealed CU Alloy 2                          |   |                                  |                   | 260   | С                              | 30                                      | second   | ds 3                    |                                 |                                    |                                   |  |
| Comments  |   |                                  |                   |   |                                |   |  |                         |                                 |                                    |                                   |  |
| ATTENTION: MSL 2 Rated item requires Dry P                    | ack (after electrical   | test)                            |                   |   |                                |   |  |                         |                                 |                                    |                                   |  |
| or more information regarding material compos                 | sition please refer to  | page 3                           |                   |   |                                |   |  |                         |                                 |                                    |                                   |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *  | Detailed  |
|--|--|--|---|---|---|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  |  | nium (Cr6+), Polybro   | ominated Biphenyls (PBB), Polybron  | dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth |   |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe  | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | ances per the definitio  | on above  | Supplier Acceptance   | * Accepted  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |
| Declaration Signature  |  |  |   |   |   |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital   | lly sign the declaration (if required by the  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

| sigma range of distribution unless otherwise noted). |  |    |           |  |                  |        |                 |    |
|--|--|----|-----------|--|------------------|--------|-----------------|----|
| Homogeneous Material                                 | aterial Weight Unit of Measure Level Substance |    | Substance | CAS  | Exempt           | Weight | Unit of Measure |    |
| Die  | 35.93  | mg | Supplier  | Silicon (Si)   | 7440-21-3        |        | 35.93           | mg |
| Die Attach   | 6.55   | mg | Supplier  | Epoxized Condensate Of Para-<br>Hydrobenzaldehyde And Alkyl Phenol | 129915-35-1      |        | 1.5065          | mg |
|  |  |    | Supplier  | Silver (Ag)  | 7440-22-4        |        | 5.0435          | mg |
| Lead Frame   | 188.57   | mg | Supplier  | Zinc (Zn)  | 7440-66-6        |        | 0.1886          | mg |
|  |  |    | Supplier  | Iron (Fe)  | 7439-89-6        |        | 4.3371          | mg |
|  |  |    | Supplier  | Copper (Cu)  | 7440-50-8        |        | 183.8558        | mg |
|  |  |    | Supplier  | Phosphorus (P)   | 7723-14-0        |        | 0.1886          | mg |
| Mold Compound-Black                                  | 377.0  | mg |           | Epoxy Phenol Resin   | proprietary data |        | 39.585          | mg |
|  |  |    | Supplier  | Fused Silica (SiO2)  | 60676-86-0       |        | 337.415         | mg |
| Plating  | 3.7  | mg | Supplier  | Tin (Sn)   | 7440-31-5        |        | 3.7             | mg |
| Wire Bond - Au                                       | 0.82   | mg | Supplier  | Gold (Au)  | 7440-57-5        |        | 0.82            | mg |