Material Composition D © Copyright 2005. IPC, Bannoc international and Pan-American	der both This docum level parts,	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
IPC Web Site for Information or http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type			laration Class * ss 6 - RoHS Yes/N	o, Homogeneous Materi	ials and Mfg Information				
Supplier Information										
Company name*		Unique ID Authority			Response Date*					
ısemi						2025-07-05	2025-07-05			
Contact Name		Phone - Contact*			Email - Contact*					
Product-Env-Stewards		NA			Product-Env-Stewards@onsemi.com					
Authorized Representative*		Phone - Representative*			Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance	t Enviro Compliance		NA			Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Ite	m Number Mfr Item Name		Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type		
AR023 A0-CR	4CSSM28SUK 2MP 1/3 CIS SO		2025-07-05		TWU	82.3612	mg	Each		
Manufacturing Process Information										
Terminal Plating / Grid Array Material	Terminal Base Alloy J-S	STD-020 MSL Rating	Peak Process Body Temperature Max Tir		ture Max Time at Peak	Temperature Numbe	r of Reflow Cy	eles		
SnAgCu	CU Alloy 4		245	С	30	seconds 3				
Comments	·			·				·		
or more information regarding material compositio	n nlease refer to nage 3									

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU									
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of				
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	19.54	mg	Supplier	Silicon (Si)	7440-21-3		19.54	mg
Glass Attach Epoxy	0.0012	mg	Supplier	Imidazole	288-32-4		0.0003	mg
			Supplier	Epoxy Phenol Novolak Resin	28064-14-4		0.0009	mg
Glass Lid /Cap	54.35	mg	Supplier	Fiber Glass (SiO2)	65997-17-3		54.35	mg
Insulating Layer	5.51	mg	Supplier	9-Phenylacridine	602-56-2		0.2755	mg
			Supplier	2-Propenoic acid	1245638-61-2		1.653	mg
			Supplier	Other Additive Agents	Proprietary Data		3.306	mg
			Supplier	Butylglycol Acetate	112-07-2		0.2755	mg
Passivation	1.22	mg		Epoxy resin	proprietary data		0.0183	mg
			Supplier	Coupling Agent	Proprietary Data		0.0244	mg
			Supplier	Modified SBR Rubber	Proprietary Data		0.0061	mg
			Supplier	Melamine Compound	Proprietary Data		0.0366	mg
			Supplier	Trispenol Compound	Proprietary Data		0.0366	mg
			Supplier	Photosensitizer	Proprietary Data		0.0976	mg
			Supplier	Hydroxystyrene Resin	Proprietary Data		0.2684	mg
			Supplier	Ethyl Lactate	97-64-3		0.732	mg
RDL	0.82	mg	В	Nickel (Ni)	7440-02-0		0.492	mg
			Supplier	Gold (Au)	7440-57-5		0.0082	mg
			Supplier	Copper (Cu)	7440-50-8		0.3198	mg
Solder Ball	0.92	mg	Supplier	Silver (Ag)	7440-22-4		0.0611	mg
			Supplier	Tin (Sn)	7440-31-5		0.8181	mg
			Supplier	Copper (Cu)	7440-50-8		0.0408	mg