Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.						This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1	.1 IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfs					Informat	tion			
Supplie	r Information														
Company name* Company unique ID					Unique ID Authority					Response Date*					
nsemi											2025-07-31				
Contact Name Title - Con				ntact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards Produc				Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title				itle - Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number	Mfr Item Name			Effective Da	te Ver	rsion	Manufacturing Site		W	eight*	UOM	Unit Type
		AR0822NPSC10SMT 8MP 1/2 CIS SO A0-DP					2025-07-31		,	TWU 430.4 mg			mg	Each	
<b>I</b> anufa	cturing Proccess Informati	on													
	Terminal Plating / Grid Array Material To		erminal Base Alloy J-STD-020 MS		J-STD-020 MSL	Rating	Peak Pr	Peak Process Body Temperatur		re Max	Γime at Peak Temperatı		e Num	ber of Reflow Cyc	eles
	SnAgCu CU Alloy		CU Alloy	4	4		260		C	30		seconds	3		
omments	3														
or more	information regarding material co	omposition <b>j</b>	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	led							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).												
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.												
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the							
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the							

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	33.19	mg	Supplier	Silicon (Si)	7440-21-3		33.19	mg
Die Attach	2.29	mg	Supplier	3,4-EPOXYCYCLOHEXYLMETHYL	2386-87-0		0.1374	mg
			Supplier	1,6-Bis(2,3-epoxypropoxy)naphthalene	27610-48-6		1.7633	mg
			Supplier	Inorganic filler	7727-43-7, 14807- 96-6		0.3893	mg
Die Attach Epoxy	2.15	mg	Supplier	Tridymite	15468-32-3		0.1075	mg
			Supplier	2,2-bis(acryloyloxymethyl)butyl acrylate	15625-89-5		1.6125	mg
			Supplier	Imidazole Addition	68490-66-4		0.0538	mg
			Supplier	Epoxy Phenol Novolak Resin	28064-14-4		0.3762	mg
Imaging Lens	88.79	mg	Supplier	Sulfur (S)	7704-34-9		0.4439	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		4.4395	mg
			Supplier	Sodium Monoxide (Na2O)	1313-59-3		4.4395	mg
			Supplier	Boron Trioxide (B2O3)	1303-86-2		4.4395	mg
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		4.4395	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		4.4395	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		4.4395	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		61.709	mg
Mold Compound	142.43	mg		Epoxy resin	proprietary data		2.1364	mg
			Supplier	Hardener	Proprietary Data		7.1215	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		10.6823	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2849	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		122.2049	mg
Solder Ball	42.7	mg	Supplier	Silver (Ag)	7440-22-4		1.281	mg
			Supplier	Tin (Sn)	7440-31-5		41.2055	mg
			Supplier	Copper (Cu)	7440-50-8		0.2135	mg
Substrate	118.4	mg	Supplier	Bismaleimide Resin	105391-33-1		15.4867	mg
			Supplier	Talc	14807-96-6		1.5487	mg
			Supplier	Fiber Glass (SiO2)	65997-17-3		25.1008	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.386	mg
			Supplier	Acetophenone Derivative	Proprietary Data		2.323	mg
			Supplier	Carbon Black (C)	1333-86-4		0.3872	mg

				2,4-Diethyl-9H-thioxanthen-9-one (DETX)	82799-44-8	0.3872	mg
			Supplier	Solvent Naphtha (Solvent oil)	64742-94-5	4.6436	mg
			Supplier	Copper (Cu)	7440-50-8	56.1453	mg
			Supplier	Barium Sulfate (BaSO4)	7727-43-7	11.9916	mg
Wire Bond - Au	0.45	mg	Supplier	Gold (Au)	7440-57-5	0.45	mg