ASSOCIATION CONNECTING ALLCATIONICS INDUSTRIES® International and Pa	IPC. Bannockl	ourn, Illinois, A	ll rights reserved untions.	inder both	This docume level parts, t	ent is a declarati the declaration e	on of the su	ibstances v s all lower	within the manufact level materials for	urer listed which the	item. Note: manufacture	if the item is an as er has engineering	ssembly with low responsibility.	
			Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Material					rials and M	ls and Mfg Information				
Supplier Information														
Company name* Company un			nique ID			Unique ID Authority				Respo	Response Date*			
nsemi										2024-0	2024-07-27			
Contact Name	tact Name Title - Contact					Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards Product Enviro C			o Compliance		NA				Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represe			sentative			Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards Product 1			uct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	ester Item Number Mfr Item Numbe		mber Mfr Item Name			Effective Date	Version	sion Manufacturing Site			Weight*	UOM	Unit Type	
	BSS138	138K FET 50V 1.6 mOhm		hm SOT23		2024-07-27	124-07-27 C		CN1		8.695	mg	Each	
Ianufacturing Proccess Informa	ntion													
Terminal Plating / Grid Array M	aterial	Terminal Base Alloy J-S		J-STD-020 MSL	Rating	Peak Process Body Tempera		emperature	ure Max Time at Peak Tempera		ature Num	ber of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	onds 3				
omments														
vel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds											
or more information regarding materia	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

signa range of distribution dimess otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.048	mg	Supplier	Silicon (Si)	7440-21-3		0.048	mg	
Lead Frame	2.371	mg	Supplier	Silver (Ag)	7440-22-4		0.0474	mg	
			В	Nickel (Ni)	7440-02-0		0.8607	mg	
			Supplier	Iron (Fe)	7439-89-6		1.1902	mg	
			Supplier	Copper (Cu)	7440-50-8		0.2727	mg	
Mold Compound-Black	6.061	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.1818	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0303	mg	
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.1818	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		4.8488	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0606	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.4849	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2727	mg	
Plating	0.206	mg	Supplier	Tin (Sn)	7440-31-5		0.206	mg	
Wire Bond - Cu	0.009	mg	Supplier	Copper (Cu)	7440-50-8		0.009	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).