ABBOGIATION CONNECTING LECTRODUCES INDUSTRIES® INTERNATIONAL STRIES®	Bannockburn	n, Illinois. Al	ll rights reserved u tions.	under both	This docume level parts, t	ent is a decla he declaratio	aration o on encor	of the sub- mpasses a	stances v all lower	vithin the manufacture level materials for v	urer listed which the 1	item. No nanufac	ote: if the turer has	item is an ass engineering r	embly with lower esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi						als and Mfg Information				
Supplier Information																
Company name* Company unique I			ue ID Uniqu			Unique ID Authority					Respon	Response Date*				
onsemi											2025-00	2025-06-06				
Contact Name Title - Contact]	Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards	ro Compliance			NA					Produ	Product-Env-Stewards@onsemi.com						
Authorized Representative* Title - Re			- Representative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards	Pi	Product Enviro Compliance				NA					Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number N		Mfr Item Name			Effective D	Date V	version	М	Manufacturing Site		Weight	*	UOM	Unit Type	
	CM1231-02SO 2 CH. DUA		2 CH. DUAL-CL	DUAL-CLAMP ESD		2025-06-06	5		C	CNS		16.11		mg	Each	
Manufacturing Proccess Information						·										
Terminal Plating / Grid Array Materia	l Term	Terminal Base Alloy		J-STD-020 MS	L Rating	Peak Process Body T		Body Ten	mperature Max Time at Peak		k Tempera	Temperature Number		f Reflow Cycl	es	
Precious metal (e.g. Ag,Au, NiPdAu) (no CU Sn)		Alloy	1			260		0	2	30		seconds 3				
Comments										•	÷					
evel 1 - maximum time at peak temperature du	uring solder	ring is 10-30) seconds													
for more information regarding material com	position plea	ease refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed			
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth				
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of			
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted			
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all			
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.								
Supplier Digital Signature Ra	stislav Drska	Le						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	8.94	mg	Supplier	Zinc (Zn)	7440-66-6		0.0107	mg
			Supplier	Iron (Fe)	7439-89-6		0.2146	mg
			Supplier	Copper (Cu)	7440-50-8		8.7076	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0072	mg
Die	0.8	mg	Supplier	Silicon (Si)	7440-21-3		0.8	mg
Die Attach	0.1	mg	Supplier	Silver (Ag)	7440-22-4		0.075	mg
			Supplier	Epoxy resins	129915-35-1		0.025	mg
Mold Compound-Black	6.1	mg		Epoxy Phenol Resin	proprietary data		0.6405	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.4595	mg
Plating	0.07	mg	Supplier	Palladium (Pd)	7440-05-3		0.0188	mg
			В	Nickel (Ni)	7440-02-0		0.0487	mg
			Supplier	Gold (Au)	7440-57-5		0.0026	mg
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg