ASSOCIATION ELECTRONIC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form				Form Type Distribute										
Supplier Information															
Company name* Company			Company un	pany unique ID			Unique ID Authority				Response Date*				
onsemi												2024-05-17			
Contact N	ame	Title - Contac	Title - Contact			Phone - Contact*				Email - Contact*					
Product-E	Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized	d Representative*	Title - Repres	Title - Representative			Phone - Representative*				Email - Representative*					
Product-E	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type		
	EMI8132MUTAG		2MUTAG	2Pair for MIPI			2024-05-17		MY1		3.77	mg	Each		
Manufacturing Proccess Information															
	Terminal Plating / Grid Array Material Terminal Plating / Grid Array Material			Germinal Base Alloy J-STD-020 MSI			ng Peak Process Body Temperature Max Time at Pea			k Temperature Number of Reflow Cycles					
	Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			1		260 C 3		30	seco	onds 3					
Comments															
level 1 - maximum time at peak temperature during soldering is 10-30 seconds															
For more information regarding material composition please refer to page 3															

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.33	mg	Supplier	Silicon (Si)	7440-21-3		0.33	mg
Die Attach	0.08	mg	Supplier	EPICHLOROHYDRIN-PHENOL- SALICYLALDEHYDE COPOLYMER	120206-26-0		0.016	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.012	mg
			Supplier	Dicyandiamine	461-58-5		0.0024	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.0496	mg
Lead Frame	1.32	mg	Supplier	Magnesium (Mg)	7439-95-4		0.002	mg
			Supplier	Silicon (Si)	7440-21-3		0.0086	mg
			В	Nickel (Ni)	7440-02-0		0.0396	mg
			Supplier	Copper (Cu)	7440-50-8		1.2698	mg
Mold Compound-Black	1.99	mg		Epoxy resin	proprietary data		0.1493	mg
			Supplier	Phenolic Resin	Proprietary Data		0.0498	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.1493	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0099	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1.6318	mg
Plating	0.03	mg	Supplier	Palladium (Pd)	7440-05-3		0.0015	mg
			В	Nickel (Ni)	7440-02-0		0.027	mg
			Supplier	Gold (Au)	7440-57-5		0.0015	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg