ASSOCIATION CONNECTING ELECTROMICS INDUSTRIES INDUSTRIES INDUSTRIES]. Bannockh	urn. Illinois. A	Il rights reserved untions.	nder both	This docum level parts,	ent is a declarati the declaration e	on of the sub ncompasses a	stances w all lower l	vithin the manufactur level materials for wh	er listed i hich the n	tem. Note: i nanufacture	f the item is an as t has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC_1752 Standard Eor				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials					als and M	ls and Mfg Information			
Supplier Information														
Company name*			Company unique ID			Unique ID Authority				Response Date*				
onsemi								2025-06-03						
Contact Name Title - Contact			ct		Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Env			t Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Rep			- Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Prod			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	ter Item Number Mfr Item Num		Jumber Mfr Item Name			Effective Date	Version	Ma	Manufacturing Site		Weight*	UOM	Unit Type	
	ESD9X3	ESD9X3.3ST5G SOD-923 2		CUT SNG CU PBF		2025-06-03		CN	CN1		0.443	mg	Each	
Manufacturing Proccess Informati	on												·	
Terminal Plating / Grid Array Mat	minal Plating / Grid Array Material Terminal Base Allo		Alloy J	-STD-020 MSI	L Rating	Peak Proc	ess Body Ten	nperature	Max Time at Peak	Temperat	ture Numb	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy		1	1		260	0	С	30	secon	ids 3				
Comments														
level 1 - maximum time at peak temperatur	e during sol	dering is 10-3	0 seconds											
for more information regarding material c	mposition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

signa range of distribution diffess otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.03	mg	Supplier	Silicon (Si)	7440-21-3		0.03	mg	
Lead Frame	0.21	mg	Supplier	Silver (Ag)	7440-22-4		0.0374	mg	
			В	Nickel (Ni)	7440-02-0		0.0649	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0897	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0181	mg	
Mold Compound-Black	0.19	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.0057	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0009	mg	
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.0057	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.152	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0019	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.0152	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0086	mg	
Plating	0.01	mg	Supplier	Tin (Sn)	7440-31-5		0.01	mg	
Wire Bond - Cu	0.003	mg	Supplier	Copper (Cu)	7440-50-8		0.003	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).