© Copy	tial Composition right 2005. IPC, Ban ional and Pan-Ameri	n Declaration mockburn, Illinois. A ican copyright conve	All rights reserved ntions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	bstances v all lower	vithin the manufactu level materials for v	rer listed it which the m	em. Note: if anufacturer	f the item is an as has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mfg Information				
upplier Information														
Company name* Co			Company unique ID			Unique ID Authority				Respons	Response Date*			
onsemi										2024-04-	2024-04-16			
Contact Name Title - Co			- Contact			Phone - Contact*				Email - (Email - Contact*			
Product-Env-Stewards Produc			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Rep			Representative			Phone - Representative*			Email - l	Email - Representative*				
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Product	Product-Env-Stewards@onsemi.com			
Requester Item Nur	ester Item Number Mfr Item Nu		Number Mfr Item Name			Effective Date	Version	Version Manufacturing Site		v	Veight*	UOM	Unit Type	
	FA	FAN49103AUC340X DC/DC Buck -		-Boost 2.5A		2024-04-16		Т	TW6		.347343	mg	Each	
Ianufacturing Proccess	Information													
Terminal Plating / Grid Array Material Terminal B		Terminal Base	Alloy J-STD-020 MSL Rating		L Rating	Peak Process Body Temperature Max Time		Max Time at Peak	ak Temperature Number of Reflow Cycles		cles			
SnAgCu CU A		CU Alloy	1			260 C 30		30	seconds 3					
omments														
vel 1 - maximum time at pea	k temperature duri	ing soldering is 10-3	0 seconds											
or more information regardi	ng material compos	sition please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.138305	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0289	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0026	mg
			Supplier	Silica (SiO2)	14464-46-1		0.0778	mg
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.0289	mg
Die	2.621417	mg	Supplier	Silicon (Si)	7440-21-3		2.6214	mg
Protection coat	0.038774	mg		Polyimide	proprietary data		0.0388	mg
Solder Ball	0.547544	mg	Supplier	Silver (Ag)	7440-22-4		0.0309	mg
			Supplier	Tin (Sn)	7440-31-5		0.5133	mg
			Supplier	Copper (Cu)	7440-50-8		0.0033	mg
Under Bump Metal	0.001303	mg	Supplier	Titanium (Ti)	7440-32-6		0.0003	mg
			Supplier	Copper (Cu)	7440-50-8		0.001	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).