ABBOGIATION CONNECTING ELECTRONICE INDUSTRIES® INCLUSTRIES	PC. Bannockł	ourn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarat	ion of the s encompasse	ubstances s all lowe	within the ma r level materi	anufacture als for whi	r listed item. ich the manu	Note: if facturer l	the item is an as has engineering	sembly with lowe responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distribution				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mfg Information				
Supplier Information															
Company name* Comp			Company unique ID			Unique ID Authority					Response Date*				
onsemi									2025-06-03						
Contact Name	ttact Name Title - Contact			. · · · · · · · · · · · · · · · · · · ·			Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product Env			nviro Compliance			NA					Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repr			presentative			Phone - Representative*]	Email - Representative*				
Product-Env-Stewards Product I			duct Enviro Compliance			NA					Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item	Number	Mfr Item Name			Effective Date	Version]	Manufacturing Site		Weig	,ht*	UOM	Unit Type	
	FAN535	FAN53528GUC48X DC/DC		DC/DC DVS Buck 3.0A		2025-06-03]	PBB		3.224	1462	mg	Each	
Manufacturing Proccess Informa	tion							·							
Terminal Plating / Grid Array Ma	minal Plating / Grid Array Material Terminal Base		Alloy	J-STD-020 MSL Rating		Peak Proc	Peak Process Body Temperatu		are Max Time at Peak Tempe		emperature	emperature Number of Reflow Cycles		les	
SnAgCu CU Alloy			1		260		С	30		seconds	3				
comments															
evel 1 - maximum time at peak temperatu	re during so	Idering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	Supplier Acceptance	* Accepted									
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.098723	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0207	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0018	mg
			Supplier	Silica (SiO2)	14464-46-1		0.0556	mg
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.0207	mg
Die	2.20711	mg	Supplier	Silicon (Si)	7440-21-3		2.1895	mg
			Supplier	Aluminum (Al)	7429-90-5		0.0176	mg
Solder Ball	0.912574	mg	Supplier	Silver (Ag)	7440-22-4		0.0515	mg
			Supplier	Tin (Sn)	7440-31-5		0.8555	mg
			Supplier	Copper (Cu)	7440-50-8		0.0055	mg
Under Bump Metal	0.006055	mg	Supplier	Titanium (Ti)	7440-32-6		0.0049	mg
			Supplier	Copper (Cu)	7440-50-8		0.0012	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).