ABSOLATION CONNECTING LECTRONICS INDUSTRIES INDUSTRIES	, Bannockb	ourn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	aration of on encon	of the substant of the substan	ances w l lower l	ithin the manufactur evel materials for wl	er listed it hich the m	em. Note: i anufacture	if the item is an as r has engineering	sembly with lower responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Ty: http://www.ipc.org/IPC-175x Distribut				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information			
Supplier Information														
Company name*	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2024-04-20			
Contact Name Titl			Title - Contact			Phone - Contact*					Email - Contact*			
Product-Env-Stewards	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		er Mfr Item Name			Effective Date Version Manufacturing Site		anufacturing Site	1	Weight*	UOM	Unit Type		
	FAN535	3MPX	DC/DC Buck 3.0A			2024-04-20)		TH	TH2		52.67364	mg	Each
Manufacturing Proccess Informatio	n									_	ł		I	I
Terminal Plating / Grid Array Mater	rial T	erminal Base	Alloy	J-STD-020 MSL Rating		Peak Process Body Temp		perature	ature Max Time at Peak Ten		ature Number of Reflow Cycles		les	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		C		30	secon	ds 3		
Comments														
evel 1 - maximum time at peak temperature	during sol	dering is 10-3	0 seconds											
for more information regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.8561	mg	Supplier	Silicon (Si)	7440-21-3		2.8561	mg
Die Attach	0.3676	mg	Supplier	Silver (Ag)	7440-22-4		0.3051	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0625	mg
Lead Frame	22.6395	mg	Supplier	Zinc (Zn)	7440-66-6		0.0282	mg
			Supplier	Iron (Fe)	7439-89-6		0.5319	mg
			Supplier	Copper (Cu)	7440-50-8		22.0608	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0186	mg
Mold Compound-Black	26.0597	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.4333	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0521	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		22.3592	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2.2151	mg
Plating	0.3161	mg	Supplier	Silver (Ag)	7440-22-4		0.0049	mg
			Supplier	Palladium (Pd)	7440-05-3		0.0112	mg
			В	Nickel (Ni)	7440-02-0		0.2937	mg
			Supplier	Gold (Au)	7440-57-5		0.0063	mg
Wire Bond - Cu	0.43464	mg	Supplier	Copper (Cu)	7440-50-8		0.4346	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).