ABBOCIATION CONNECTING ELECTRONICS WOUSTRIES® International and Pan	C, Bannockt	ourn, Illinois. A	Il rights reserved untions.	inder both	This docume level parts, t	ent is a decla the declaratio	ration of th n encompa	e substances sses all lowe	within the er level mat	manufacture erials for wh	er listed iter ich the ma	n. Note: if nufacturer	the item is an as has engineering	sembly with lowe responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information				
Supplier Information															
Company name*	Company unique ID			Unique ID Authority					Response Date*						
onsemi										2024-09-20					
Contact Name Tit			Title - Contact			Phone - Contact*					Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requester Item Number	Mfr Item	n Number	Mfr Item Name			Effective D	ate Versi	ion	Manufacturing Site		W	eight*	UOM	Unit Type	
	FAN717	1MX-F085	High Volt Gate Driver SO8			2024-09-20			TH2		80	.792	mg	Each	
Manufacturing Proccess Informat	ion														
Terminal Plating / Grid Array Ma	terial 7	Terminal Base	Alloy	J-STD-020 MSL Rating		Peak Process Body Tempe		y Temperatu	ture Max Time at Peak Ter		Femperatur	ature Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 3		3		260		C	30		seconds	3			
Comments															
TTENTION: MSL 3 Rated item requires	Bake and D	Dry Pack (after	electrical test)												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.16	mg	Supplier	Silicon (Si)	7440-21-3		2.16	mg
Die Attach	1.144	mg	Supplier	Silver (Ag)	7440-22-4		0.8466	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.2974	mg
Lead Frame	31.136	mg	Supplier	Zinc (Zn)	7440-66-6		0.0374	mg
			Supplier	Iron (Fe)	7439-89-6		0.7286	mg
			Supplier	Copper (Cu)	7440-50-8		30.3451	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0249	mg
Mold Compound	45.29	mg	Supplier	Trimethoxysilylpropanethiol	4420-74-0		0.2264	mg
			Supplier	Boron zinc hydroxide oxide	138265-88-0		0.2264	mg
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		2.2645	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.2645	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		40.0816	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2264	mg
Plating	0.435	mg	Supplier	Silver (Ag)	7440-22-4		0.0066	mg
			Supplier	Palladium (Pd)	7440-05-3		0.0154	mg
			В	Nickel (Ni)	7440-02-0		0.404	mg
			Supplier	Gold (Au)	7440-57-5		0.009	mg
Wire Bond - Au	0.627	mg	Supplier	Gold (Au)	7440-57-5		0.627	mg