PC SECONATION CONNECTING COpyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
				Form Type Distribute						on			
Supplier Information													
Company name* Compa			ompany unique ID			Unique ID Authority				Response Date*			
onsemi								2024-04-17					
Contact Name Title - Contact			et	Phone - (Phone - Contact	Contact*			Email - Contact*			
Product-Env-Stewards Product Enviro			viro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representat			intative I		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Prod			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FAN739	N73912MX 1200V Half Bridge		e driver		2024-04-17	TAD			439.711	mg	Each	
Manufacturing Proccess Informati	on										·		
Terminal Plating / Grid Array Mate	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J	-STD-020 MSI	Rating	Peak Proces	s Body Tempera	ture Max Time at Peak	Tempera	ure Numb	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed CU Alloy		3	3		260	С	30	secor	ids 3				
Comments													
TTENTION: MSL 3 Rated item requires	Bake and D	ry Pack (after	electrical test)										
or more information regarding material co	mposition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.06	mg	Supplier	Silicon (Si)	7440-21-3		4.06	mg
Die Attach	1.25	mg		Epoxy resin	proprietary data		0.125	mg
			Supplier	Silver (Ag)	7440-22-4		1	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.125	mg
Lead Frame	140.481	mg	Supplier	Silver (Ag)	7440-22-4		4.917	mg
			Supplier	Zinc (Zn)	7440-66-6		0.271	mg
			Supplier	Iron (Fe)	7439-89-6		3.254	mg
			Supplier	Copper (Cu)	7440-50-8		131.903	mg
			Supplier	Phosphorus (P)	7723-14-0		0.136	mg
Mold Compound-Black	280.5	mg		Epoxy resin	proprietary data		19.635	mg
			Supplier	Phenolic Resin	Proprietary Data		8.415	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		16.83	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		28.05	mg
			Supplier	Carbon Black (C)	1333-86-4		4.2075	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		203.3625	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		-272.085	mg
Plating	13.17	mg	Supplier	Tin (Sn)	7440-31-5		13.17	mg
Wire Bond	0.25	mg	Supplier	Palladium (Pd)	7440-05-3		0.0025	mg
			Supplier	Copper (Cu)	7440-50-8		0.2475	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).