	CONNECTING CS INDUSTRIES® International and Pan	<b>Osition Dec</b> PC, Bannockb -American co	claration ourn, Illinois. A opyright conve	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declarat he declaration e	ion of the encompas	substances ses all lowe	within the er level mat	manufactur erials for wh	er listed ite hich the ma	em. Note: if anufacturer	f the item is an as has engineering	sembly with lowe responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplie	r Information														
Company name* Com				Company unique ID			Unique ID Authority					Response Date*			
onsemi												2024-04-28			
Contact N	lame		Title - Contact			]	Phone - Contact*					Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			]	Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number     Mfr Item       FCU6001     FCU6001		n Number Mfr Item Name   0N65S3R0 SUPERFET3 650V IPAK PKG			·	Effective Date	Versio	on	Manufacturing Site		v	Veight*	UOM	Unit Type
							2024-04-28 CPA			3	83.558	mg	Each		
/Ianufa	cturing Proccess Informat	ion							1						
	Terminal Plating / Grid Array Material			Ferminal Base Alloy J-STD-020 MSI		L Rating	Peak Process Body Temperature		re Max Ti	me at Peak	Temperatu	ire Numb	er of Reflow Cyc	eles	
Matte Tin (Sn) - annealed			CU Alloy NA				0 C 30				seconds 3				
omments	3														
or more	information regarding material	composition	please refer t	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		mium (Cr6+), Polybrominated Biphenyls (Pl		dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et					
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted				
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).						
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature	astislav Drska	Le							

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	5.93	mg	Supplier	Silicon (Si)	7440-21-3		5.93	mg	
Die Attach Solder	2.351	mg	Supplier	Silver (Ag)	7440-22-4		0.0588	mg	
			А	Lead (Pb)	7439-92-1	7a	2.1747	mg	
			Supplier	Tin (Sn)	7440-31-5		0.1176	mg	
Lead Frame	235.307	mg	В	Nickel (Ni)	7440-02-0		0.001	mg	
			Supplier	Iron (Fe)	7439-89-6		0.235	mg	
			Supplier	Copper (Cu)	7440-50-8		234.9999	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.071	mg	
Mold Compound-Black	129.0	mg		Epoxy resin	proprietary data		7.74	mg	
			Supplier	Phenolic Resin	Proprietary Data		7.74	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.645	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		109.65	mg	
			Supplier	Silica Crystalline (SiO2)	14808-60-7		3.225	mg	
Plating	8.53	mg	Supplier	Tin (Sn)	7440-31-5		8.53	mg	
Wire Bond - Al	2.44	mg	Supplier	Aluminum (Al)	7429-90-5		2.44	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).