ABSOCIATION CONNECTING LECTRONICS INDUSTRIES® INCONNECTING	PC. Bannockt	ourn. Illinois. A	ll rights reserved ur ntions.	nder both	This docum level parts, t	ent is a declaration en	n of the substar compasses all l	ces within the manufactu ower level materials for w	rer listed i hich the n	tem. Note: if nanufacturer	the item is an as has engineering	sembly with lower responsibility.	
				Form Type Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform					fg Informati	on		
Supplier Information													
Company name* Company			pany unique ID			Unique ID Authority				Response Date*			
onsemi										2025-05-11			
Contact Name Title - Contact			itact			Phone - Contact*			Email - Contact*				
Product-Env-Stewards Product Envi			nviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repre			esentative		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Produc			roduct Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item	Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FDC361	DC3612 FET 100V 125.0 m		nOhm SSOT6		2025-05-11	PBB			17.164	mg	Each	
Manufacturing Proccess Informa	tion										· · · · · · · · · · · · · · · · · · ·	·	
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J-	-STD-020 MSL	Rating	Peak Proce	ss Body Tempe	ature Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy 1					260	С	30	secon	ds 3				
Comments													
evel 1 - maximum time at peak temperat	ure during sol	Idering is 10-3	0 seconds										
For more information regarding material	composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl ohthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.172	mg	Supplier	Silicon (Si)	7440-21-3		0.172	mg	
Lead Frame	8.254	mg	Supplier	Silver (Ag)	7440-22-4		0.022	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.01	mg	
			Supplier	Iron (Fe)	7439-89-6		0.198	mg	
			Supplier	Copper (Cu)	7440-50-8		8.022	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.002	mg	
Mold Compound-Black	7.596	mg	Supplier	Zinc borate	1332-07-6		0.2659	mg	
			Supplier	Phenol, polymer with 1,4- bis(methoxymethyl)benzene	26834-02-6		0.3038	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.7596	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.038	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		6.2287	mg	
Plating	1.13	mg	Supplier	Tin (Sn)	7440-31-5		1.13	mg	
Wire Bond - Cu	0.012	mg	Supplier	Copper (Cu)	7440-50-8		0.012	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).