Product-Env-Stewards Product Enviro Compliance NA Product Authorized Representative* Title - Representative Phone - Representative* Email - Product-Env-Stewards Product Enviro Compliance NA Product	se Date*			
Company name* Company unique ID Unique ID Authority Response 1 2024-05 Contact Name Title - Contact Phone - Contact* Email - Product-Env-Stewards Authorized Representative* Title - Representative Product-Env-Stewards	5-16			
2024-05 Contact Name	5-16			
Contact Name Title - Contact Product-Env-Stewards Product Enviro Compliance NA Product Enviro Representative* Title - Representative Product-Env-Stewards Product Enviro Compliance NA Product Product-Env-Stewards Product Enviro Compliance NA Product NA				
Product-Env-Stewards Product Enviro Compliance NA Product Authorized Representative* Title - Representative Phone - Representative* Email - Product-Env-Stewards Product Enviro Compliance NA Product	C44*			
Authorized Representative* Title - Representative Product-Env-Stewards Product Enviro Compliance NA Product Produc	Email - Contact*			
Product-Env-Stewards Product Enviro Compliance NA Product	Product-Env-Stewards@onsemi.com			
	Email - Representative*			
Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site	Product-Env-Stewards@onsemi.com			
	Weight* UOM Unit Type			
FDC6325L 8V LOAD SW P-FET 130 MO 2024-05-16 MY1	17.178 mg Each			
Anufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temper	ture Number of Reflow Cycles			
Watte Till (Sil) - aimeaieu Co Anoy I	nds 3			
omments	·			
vel 1 - maximum time at peak temperature during soldering is 10-30 seconds or more information regarding material composition please refer to page 3				

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a						
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member states laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its uppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this for									
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.172	mg	Supplier	Silicon (Si)	7440-21-3		0.172	mg	
Lead Frame	8.254	mg	Supplier	Silver (Ag)	7440-22-4		0.022	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.01	mg	
			Supplier	Iron (Fe)	7439-89-6		0.198	mg	
				Supplier	Copper (Cu)	7440-50-8		8.022	mg
						Supplier	Phosphorus (P)	7723-14-0	
Mold Compound-Black	7.596	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.52	mg	
,		Supplier	Carbon Black (C)	1333-86-4		0.076	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		6	mg	
Plating	1.13	mg	Supplier	Tin (Sn)	7440-31-5		1.13	mg	
Wire Bond - Au	0.026	mg	Supplier	Gold (Au)	7440-57-5		0.026	mg	