ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES OF INTERNATIONAL AND A	IPC. Bannockt	ourn. Illinois. A	ll rights reserved untions.	nder both	This docum level parts, t	ent is a declaration en	n of the substan compasses all lo	ces within the manufacture ower level materials for w	rer listed it hich the m	em. Note: if anufacturer	f the item is an as has engineering	sembly with lower responsibility.	
				Form Type * Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials a				ials and M	s and Mfg Information			
Supplier Information													
Company name* Compa			mpany unique ID			Unique ID Authority				Response Date*			
onsemi										2024-04-23			
Contact Name Title - Contact			act			Phone - Contact*			Email - Contact*				
Product-Env-Stewards Product Env			Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repr			presentative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards Produ			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FDG633	FDG6335N SC88 20/12V 300/4		/400MO NCH D	UAL	2024-04-23	PBB		5	5.759	mg	Each	
Manufacturing Proccess Informa	ation		·			·					· ·	·	
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J	-STD-020 MSL	Rating	Peak Proce	s Body Temper	ature Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy			l		260	С	30	secon	ds 3				
Comments													
evel 1 - maximum time at peak temperat	ure during sol	ldering is 10-3	0 seconds										
or more information regarding materia	l composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.148	mg	Supplier	Silicon (Si)	7440-21-3		0.148	mg
Lead Frame	2.087	mg	В	Nickel (Ni)	7440-02-0		0.7576	mg
			Supplier	Iron (Fe)	7439-89-6		1.0477	mg
			Supplier	Copper (Cu)	7440-50-8		0.2817	mg
Mold Compound-Black	3.224	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.0967	mg
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0161	mg
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.0967	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.5792	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0322	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.2579	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1451	mg
Plating	0.274	mg	Supplier	Tin (Sn)	7440-31-5		0.274	mg
Wire Bond - Au	0.026	mg	Supplier	Gold (Au)	7440-57-5		0.026	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)