	Material Compo © Copyright 2005. II international and Pan	PC, Bannockb	urn, Illinois. A	All rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration	tion of the	ne substances asses all lowe	within the r er level mate	nanufacture rials for wh	er listed ite nich the ma	em. Note: if nufacturer	the item is an as has engineering	ssembly with lowe responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information					
Supplier	r Information														
Company	name*	Company un	Company unique ID			Unique ID Authority					Response Date*				
onsemi												2025-05-11			
Contact N	lame		Title - Contact				Phone - Contact*					Email - Contact*			
Product-I	Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-I	Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date	ctive Date Version Manufacturing Sit		ng Site	Weight*		UOM	Unit Type	
		FDH055N15A FE		FET 150V 5.9 mOhm TO247			2025-05-11 CPA			5456.725		mg	Each		
/Ianufa	cturing Proccess Informat	tion													
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 M		-STD-020 MSI	L Rating	Peak Process Body Temperat		ure Max Time at Peak Temp		Temperatu	re Numbe	er of Reflow Cyc	cles	
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30 seco		second	s 3				
omments	3														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		mium (Cr6+), Polybrominated Biphenyls (Pl		dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et					
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted				
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).						
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature	astislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measur
Die	32.0	mg	Supplier	Silicon (Si)	7440-21-3		32	mg
Die Attach Solder	35.025	mg	Supplier	Silver (Ag)	7440-22-4		0.8756	mg
			А	Lead (Pb)	7439-92-1	7a	32.3981	mg
			Supplier	Tin (Sn)	7440-31-5		1.7512	mg
ead Frame	3612.9	mg	Supplier	Zinc (Zn)	7440-66-6		1.75	mg
			В	Nickel (Ni)	7440-02-0		117.9998	mg
			Supplier	Iron (Fe)	7439-89-6		2.1	mg
			Supplier	Copper (Cu)	7440-50-8		3489.9998	mg
			Supplier	Phosphorus (P)	7723-14-0		1.05	mg
Aold Compound-Black	1739.8	mg	Supplier	Polymer(phenyl glycidil ether)-co- dicyclopentadiene	119345-05-0		86.99	mg
			Supplier	Proprietary	Proprietary Data		86.99	mg
			Supplier	Carbon Black (C)	1333-86-4		8.699	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		78.291	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1304.8501	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		86.99	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		86.99	mg
Plating	31.0	mg	Supplier	Tin (Sn)	7440-31-5		31	mg
Wire Bond - Al	6.0	mg	Supplier	Aluminum (Al)	7429-90-5		6	mg