© Copyright	l Composition D ht 2005. IPC, Bannoo al and Pan-American	kburn, Illinois. A	Il rights reserved untions.	inder both	This docume level parts, ti	ent is a declar he declaratio	ration of the s	ubstances es all lower	within the manufac level materials for	turer listed which the	item. No manufact	ote: if the turer has	item is an ass engineering r	embly with lowe esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty   http://www.ipc.org/IPC-175x Distribut				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					erials and N	als and Mfg Information				
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2024-05-19				
Contact Name	Title - Conta	Title - Contact			Phone - Contact*				Email ·	Email - Contact*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email ·	Email - Representative*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com					
Requester Item Number	Requester Item Number Mfr Iter		n Number Mfr Item Name			Effective Da	ate Version	. N	Manufacturing Site		Weight*	*	UOM	Unit Type	
	FDMA86265P		FET -150V 1.2 mOhm MLP			2024-05-19		Т	TH2		9.44		mg	Each	
Manufacturing Proccess I	nformation													L	
Terminal Plating / Grid	Terminal Plating / Grid Array Material		erminal Base Alloy J-S'		20 MSL Rating		Peak Process Body Temperat		ure Max Time at Peak Tempe		erature Number of Reflow Cycles		es		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	U Alloy 1			260		C	30 secon		conds 3				
Comments															
evel 1 - maximum time at peak t	emperature during	soldering is 10-3	0 seconds												
or more information regarding	material composition	n please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight Unit of Me		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.6023	mg	Supplier	Silicon (Si)	7440-21-3		0.6023	mg
Die Attach	0.0776	mg	Supplier	Bis(a,a-dimethylbenzyl) Peroxide	80-43-3		0.0004	mg
			Supplier	Isobornyl Methacrylate	7534-94-3		0.0043	mg
			Supplier	Silver (Ag)	7440-22-4		0.0643	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.0043	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.0043	mg
Lead Frame	4.0051	mg	Supplier	Zinc (Zn)	7440-66-6		0.005	mg
			Supplier	Iron (Fe)	7439-89-6		0.0941	mg
			Supplier	Copper (Cu)	7440-50-8		3.9027	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0033	mg
Mold Compound-Black	4.612	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.2536	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0092	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.4729	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.6457	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.2306	mg
Plating	0.056	mg	Supplier	Silver (Ag)	7440-22-4		0.0018	mg
			Supplier	Palladium (Pd)	7440-05-3		0.002	mg
			В	Nickel (Ni)	7440-02-0		0.052	mg
			Supplier	Gold (Au)	7440-57-5		0.0002	mg
Wire Bond - Cu	0.087	mg	Supplier	Copper (Cu)	7440-50-8		0.087	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).