	Material Composit © Copyright 2005. IPC, 1 nternational and Pan-An	Bannockb	urn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	uration of on encom	f the substanc npasses all lov	es withi wer leve	n the manufactur l materials for w	rer listed i hich the n	tem. No nanufac	ote: if the turer has	item is an ass engineering re	embly with lowe esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information						
Supplier Informat	ion																
Company name*			Company unique ID			Unique ID Authority					Respons	Response Date*					
onsemi												2025-08	2025-08-31				
Contact Name			Title - Contact]	Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*							
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requester It	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufacturing Sit		facturing Site	,	Weight	*	UOM	Unit Type			
	FDMC7200		.00	DUAL N-Ch. ER TRENCH MO			2025-08-31			TH2		:	21.135		mg	Each	
Manufacturing Pro	occess Information	l															
Terminal Pla	Terminal Plating / Grid Array Material		erminal Base A	inal Base Alloy J-ST		L Rating	Peak P	Peak Process Body Temperate		ture M	ture Max Time at Peak Ter		emperature Number of		f Reflow Cycl	es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		i) (no C	U Alloy	Alloy 1			260		C	30	30 seco		onds 3				
Comments																	
evel 1 - maximum time	e at peak temperature d	uring sol	dering is 10-3	0 seconds													
or more information 1	regarding material com	position j	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.05	mg	Supplier	Silicon (Si)	7440-21-3		1.05	mg	
Die Attach	0.198	mg	Supplier	Silver (Ag)	7440-22-4		0.1584	mg	
			Supplier	Phenolic Resin-2	54208-63-8		0.0396	mg	
Lead Frame	7.661	mg	Supplier	Tin (Sn)	7440-31-5		0.184	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.008	mg	
			Supplier	Copper (Cu)	7440-50-8		7.469	mg	
Mold Compound-Black	11.505	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.19	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.115	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		9.2	mg	
Plating	0.26	mg	Supplier	Silver (Ag)	7440-22-4		0.001	mg	
			Supplier	Palladium (Pd)	7440-05-3		0.024	mg	
			В	Nickel (Ni)	7440-02-0		0.233	mg	
			Supplier	Gold (Au)	7440-57-5		0.002	mg	
Wire Bond - Cu	0.461	mg	Supplier	Copper (Cu)	7440-50-8		0.461	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)