ASSOCIATION CONNECTING ELECTROMICS INDUSTRIES® MALECTROMICS INDUSTRIES®	burn, Illinois. All righ	hts reserved under	both This docur level parts	nent is a declarati , the declaration e	on of the substanc	es within the manufactur wer level materials for wl	er listed iten hich the man	n. Note: if th ufacturer ha	e item is an ass s engineering r	embly with lower esponsibility.		
IPC Web Site for Information on http://www.ipc.org/IPC-175x	.1 IPC Web Site for Information on IPC-1752 Standard Form Type Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information								
Supplier Information												
ompany name* Company unique ID				Unique ID Authority				Response Date*				
onsemi	emi								2024-05-03			
Contact Name	Title - Contact		Phone - Contact*			Email - Contact*						
Product-Env-Stewards	-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewards	o Compliance		NA			Product-Env-Stewards@onsemi.com						
Requester Item Number Mfr Iten	n Number Mfr I	Mfr Item Name		Effective Date	Version	Manufacturing Site		ight*	UOM	Unit Type		
FDMS7	27558S PT7 25V/20V Nch erT		Fren Sy	2024-05-03		РВВ		.506	mg	Each		
Manufacturing Proccess Information	·											
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STD-		D-020 MSL Rating	Peak Proc	ess Body Tempera	ture Max Time at Peak	Temperature	Number	of Reflow Cycl	es		
Matte Tin (Sn) - annealed CU Alloy 1				260	С	30	seconds	3				
Comments												
evel 1 - maximum time at peak temperature during so	ldering is 10-30 seco	onds										
for more information regarding material composition	please refer to page	e 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	toHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such completes this form. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best its form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier rot a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or member state agreement, the warranty rights and/or remedies of Supplier's Itality and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Sup											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

	cable [E] enter the weigh			ance category (JIG or Requester) or enter a [F] Optionally enter the positive (+) and n				
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	19.1	mg	Supplier	Zinc (Zn)	7440-66-6		0.025	mg
			Supplier	Iron (Fe)	7439-89-6		0.458	mg
			Supplier	Copper (Cu)	7440-50-8		18.617	mg
Die	2.54	mg	Supplier	Silicon (Si)	7440-21-3		2.54	mg
Die Attach Solder	3.021	mg	Supplier	Silver (Ag)	7440-22-4		0.0755	mg
			А	Lead (Pb)	7439-92-1	7a	2.7944	mg
			Supplier	Tin (Sn)	7440-31-5		0.151	mg
Lead Frame	45.8	mg	Supplier	Zinc (Zn)	7440-66-6		0.06	mg
			Supplier	Iron (Fe)	7439-89-6		1.099	mg
			Supplier	Copper (Cu)	7440-50-8		44.641	mg
Mold Compound-Black	42.715	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.135	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		39.3	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		1.28	mg
Plating	8.33	mg	Supplier	Tin (Sn)	7440-31-5		8.33	mg