ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATIONAL OF THE STREES	Bannockbi	urn. Illinois. A	ll rights reserved u tions.	nder both	This docum level parts, t	ent is a declaration the declaration en	n of the substat compasses all l	nces within the manufact lower level materials for	urer listed which the	item. Note: if manufacturer	the item is an as has engineering	ssembly with lower responsibility.	
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information								
Supplier Information													
Company name* Company unic			ique ID I			Unique ID Authority				Response Date*			
onsemi								2024-04-24					
Contact Name Title - Contact			et			Phone - Contact*			Email	Email - Contact*			
Product-Env-Stewards Product Envir			nviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			sentative			Phone - Representative*			Email	Email - Representative*			
Product-Env-Stewards Product Env			Enviro Compliance		NA			Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FDS8624	FET 150V 67.0 mC		Ohm SO8		2024-04-24	TH2			85.792	mg	Each	
Manufacturing Proccess Information	1		-										
Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy J	-STD-020 MSL	Rating	Peak Proces	s Body Tempe	erature Max Time at Pea	k Temper	ature Numbe	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy 1			l		260	С	30	seco	onds 3				
Comments													
evel 1 - maximum time at peak temperature o	luring sole	dering is 10-3	0 seconds										
or more information regarding material con	position p	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	toHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.78	mg	Supplier	Silicon (Si)	7440-21-3		2.78	mg
Die Attach Epoxy	0.352	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0106	mg
			Supplier	Miscellaneous	Trade Secret		0.0176	mg
			Supplier	Silver (Ag)	7440-22-4		0.2992	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0246	mg
Lead Frame	38.507	mg	Supplier	Zinc (Zn)	7440-66-6		0.05	mg
			Supplier	Iron (Fe)	7439-89-6		0.924	mg
			Supplier	Copper (Cu)	7440-50-8		37.514	mg
			Supplier	Phosphorus (P)	7723-14-0		0.019	mg
Mold Compound-Black	43.1	mg		Epoxy resin	proprietary data		2.155	mg
			Supplier	Phenolic Resin	Proprietary Data		0.862	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.0775	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2155	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		38.79	mg
Plating	0.869	mg	Supplier	Palladium (Pd)	7440-05-3		0.07	mg
			В	Nickel (Ni)	7440-02-0		0.782	mg
			Supplier	Gold (Au)	7440-57-5		0.017	mg
Wire Bond - Cu	0.184	mg	Supplier	Copper (Cu)	7440-50-8		0.184	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).