ASSOCIATION CONNECTING LECTROMICS INDUSTRIES	ourn, Illinois. All rig	ghts reserved under	both This docum level parts,	nent is a declaration the declaration en	on of the substance acompasses all low	es within the manufacture wer level materials for wh	er listed item nich the manu	Note: if t	he item is an as as engineering	sembly with lower responsibility.	
-21.1 IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information							
Supplier Information											
ompany name* Company unique ID				Unique ID Authority				Response Date*			
onsemi	mi							2024-09-24			
Contact Name	Title - Contact		Phone - Contact*			Email - Contact*					
Product-Env-Stewards	Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative				Phone - Representative*				Email - Representative*			
Product-Env-Stewards Product Enviro Complia			Compliance NA		NA			Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Iten	n Number Mfr	Mfr Item Name		Effective Date	Version	Manufacturing Site	Wei	ght*	UOM	Unit Type	
FDS994	945 FET 60V 100.0 mOh		ı SO8	2024-09-24		PH1	86.4	3107	mg	Each	
Manufacturing Proccess Information									·		
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STD-		D-020 MSL Rating	Peak Process Body Temperature Max		ture Max Time at Peak	Temperature Number of Reflow Cycles		les		
Matte Tin (Sn) - annealed CU Alloy 1				260	С	30	seconds	3			
Comments											
evel 1 - maximum time at peak temperature during so	ldering is 10-30 sec	conds									
or more information regarding material composition	please refer to page	ge 3									

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.78	mg	Supplier	Silicon (Si)	7440-21-3		2.78	mg
Die Attach	0.74	mg	Supplier	Silver (Ag)	7440-22-4		0.6327	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.1073	mg
Lead Frame	34.4046	mg	Supplier	Silver (Ag)	7440-22-4		1.7204	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0413	mg
			Supplier	Iron (Fe)	7439-89-6		0.8086	mg
			Supplier	Copper (Cu)	7440-50-8		31.8068	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0275	mg
Mold Compound-Black	46.48	mg		Epoxy resin	proprietary data		3.2536	mg
			Supplier	Phenolic Resin	Proprietary Data		1.162	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.486	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2324	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		37.184	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		1.162	mg
Plating	1.09389	mg	Supplier	Tin (Sn)	7440-31-5		1.0939	mg
Wire Bond - Cu	0.93258	mg	Supplier	Copper (Cu)	7440-50-8		0.9326	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).