© Copyr	ial Composition right 2005. IPC, Ban onal and Pan-Ameri	nockburn, Illinois. A	All rights reserved ntions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	bstances v all lower	vithin the manufactu level materials for v	urer listed i which the r	tem. Note: i nanufacture	f the item is an as r has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				rials and N	als and Mfg Information				
Supplier Information														
Company name*			Company unique ID			Unique ID Authority				Respon	Response Date*			
nsemi									2025-06	2025-06-04				
Contact Name Title			Title - Contact			Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Produc	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title -			itle - Representative			Phone - Representative*				Email -	Email - Representative*			
Product-Env-Stewards Pr			Product Enviro Compliance			NA				Produe	Product-Env-Stewards@onsemi.com			
Requester Item Num	Requester Item Number Mfr Iten		n Number Mfr Item Name			Effective Date Version Manufacturing S		lanufacturing Site		Weight*	UOM	Unit Type		
	FD	FDT86113LZ FET 100V 100 1		mOhm SOT223		2025-06-04		PBB			117.227	mg	Each	
Ianufacturing Proccess	Information													
Terminal Plating / Grid Array Material Terminal Bas		Terminal Base	lloy J-STD-020 MSL Rating			Peak Process Body Temperature Max Time at Peak			k Tempera	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CI		CU Alloy	Alloy 1			260	260 C 3		30	secor	seconds 3			
omments														
vel 1 - maximum time at peak	k temperature duri	ng soldering is 10-3	30 seconds											
or more information regardin	ng material compos	sition please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.54	mg	Supplier	Silicon (Si)	7440-21-3	_	1.54	mg
Die Attach Solder	0.541	mg	Supplier	Silver (Ag)	7440-22-4		0.0135	mg
			А	Lead (Pb)	7439-92-1	7a	0.5167	mg
			Supplier	Tin (Sn)	7440-31-5		0.0108	mg
Lead Frame	66.944	mg	Supplier	Silver (Ag)	7440-22-4		0.234	mg
			Supplier	Zinc (Zn)	7440-66-6		0.08	mg
			Supplier	Iron (Fe)	7439-89-6		1.61	mg
			Supplier	Copper (Cu)	7440-50-8		65	mg
			Supplier	Phosphorus (P)	7723-14-0		0.02	mg
Mold Compound-Black	39.687	mg		Epoxy resin	proprietary data		2.7781	mg
			Supplier	Phenolic Resin	Proprietary Data		1.1906	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.9687	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1984	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		31.5512	mg
Plating	8.29	mg	Supplier	Tin (Sn)	7440-31-5		8.29	mg
Wire Bond - Cu	0.225	mg	Supplier	Copper (Cu)	7440-50-8		0.225	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).