	Material Comp © Copyright 2005. II international and Par	PC, Bannockb	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat	ion of the encompas	e substances sses all low	within the er level mate	manufactur erials for wl	er listed it hich the m	em. Note: if anufacturer	f the item is an as has engineering	ssembly with low responsibility.
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	als and Mi	g Informati	on		
Supplier	r Information														
Company name* Company unic				ique ID Ur			Unique ID Authority					Response Date*			
nsemi												2025-05-12			
Contact Name			Title - Contact				Phone - Contact*					Email - Contact*			
Product-I	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	d Representative*		Title - Representative				Phone - Representative*				Email - Representative*				
roduct-I	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item N   FFSH20120		n Number Mfr Item Name				Effective Date	e Versio	Version Manufacturing Site		ing Site	V	Veight*	UOM	Unit Type
			120A-F085	A-F085 1200V 20A AUTO SIC SBD			2025-05-12	2025-05-12 CPA			5	321.033	mg	Each	
Ianufa	cturing Proccess Information	tion												- <b>L</b>	L
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 M		J-STD-020 MSI	L Rating	Peak Process Body Temperat		ure Max Time at Peak Tempe		Temperati	ire Numb	er of Reflow Cyc	cles	
	Matte Tin (Sn) - annealed		CU Alloy	J Alloy NA			0 C		<b>30</b> seco		second	ls 3			
omments															
or more i	information regarding material	composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	ending RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	32.0	mg	Supplier	Silicon Carbide	409-21-2		32	mg
Die Attach Solder	23.353	mg	Supplier	Silver (Ag)	7440-22-4		0.5838	mg
			А	Lead (Pb)	7439-92-1	7a	21.6015	mg
			Supplier	Tin (Sn)	7440-31-5		1.1677	mg
Lead Frame	3488.88	mg	В	Nickel (Ni)	7440-02-0		1.7444	mg
			Supplier	Iron (Fe)	7439-89-6		3.4889	mg
			Supplier	Copper (Cu)	7440-50-8		3482.5999	mg
			Supplier	Phosphorus (P)	7723-14-0		1.0467	mg
Mold Compound-Black	lack 1739.8	mg	Supplier	Polymer(phenyl glycidil ether)-co- dicyclopentadiene	119345-05-0		86.99	mg
			Supplier	Proprietary	Proprietary Data		86.99	mg
			Supplier	Carbon Black (C)	1333-86-4		8.699	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		78.291	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1304.8501	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		86.99	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		86.99	mg
Plating	31.0	mg	Supplier	Tin (Sn)	7440-31-5		31	mg
Wire Bond - Al	6.0	mg	Supplier	Aluminum (Al)	7429-90-5		6	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).