52-21.1 upplier Information name* semi ontact Name				dard	Form Type * Distribute				o, Homogeneous Materia	als and Mfg Informa	tion		
ompany name* semi			Company un						Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				
semi	k		Company un										
			"""	Company unique ID			que ID Autho	rity		Response Date*			
ontact Name										2024-04-25			
	Contact Name			Title - Contact			Phone - Contact*			Email - Contact*			
roduct-Env-Ste	ewards	Product Enviro Compliance			NA	NA			Product-Env-Stewards@onsemi.com				
•			Title - Representative			Phon	Phone - Representative* NA			Email - Representative* Product-Env-Stewards@onsemi.com			
			Product Envi	Product Enviro Compliance									
Reque	ester Item Number	Mfr Item Number		Mfr Item Name		Effe	ective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type	
	FOD274		B 8PW E-AMP TR DIP			2024	24-04-25	-25 LITEONFG		590.1161	mg	Each	
	ng Process Informat				GED 000 MGL D		D . D	D.1. T.	W 77 - P 1		I CD G		
3		, , , , , , , , , , , , , , , , , , ,		STD-020 MSL Rati	0		k Process Body Temperature Max Time at Peal						
	Tin (Sn) - annealed	C	CU Alloy	N	A		0	ĮĊ	30	seconds 3			
omments													
	nation regarding material	•,•											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of					
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Coupling Gel	211.509	mg	Supplier	Ethylbenzene	100-41-4		21.1509	mg
			Supplier	Filler (SiO2)	68909-20-6		84.6036	mg
			Supplier	Xylene	1330-20-7		105.7545	mg
Die	0.208097	mg	В	Gallium Arsenide (AsGa)	1303-00-0		0.0068	mg
			Supplier	Silicon (Si)	7440-21-3		0.2013	mg
Die Attach	0.25	mg	Supplier	Silver (Ag)	7440-22-4		0.2	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0275	mg
			Supplier	Dicyandiamine	461-58-5		0.005	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0175	mg
Lead Frame	114.99	mg	Supplier	Silver (Ag)	7440-22-4		7.2398	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1294	mg
			Supplier	Iron (Fe)	7439-89-6		2.5145	mg
			Supplier	Copper (Cu)	7440-50-8		105.0223	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0839	mg
Mold Compound-Black	251.509	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		50.3018	mg
			Supplier	2,6-dibromo-4-[1-(3-bromo-4-hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		6.2877	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		31.4386	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		8.8028	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		125.7545	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		28.9235	mg
Plating	11.6	mg	Supplier	Tin (Sn)	7440-31-5		11.6	mg
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg