	CONNECTING CS INDUSTRIES® MALETING CS INDUSTRIES® MALETIAL COMP	PC, Bannockb	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat he declaration	tion of t encomp	the substance passes all low	s within the er level ma	e manufactur terials for wl	er listed it hich the m	em. Note: if anufacturer	the item is an as has engineering	ssembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information						
Supplie	r Information															
Company name* Company unique ID				ique ID	Unique			inique ID Authority					Response Date*			
onsemi												2024-04-25				
Contact Name			Title - Contact			]	Phone - Contact*					Email - Contact*				
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
uthorize	ed Representative*		Title - Representative			]	Phone - Representative*				Email - Representative*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item Num   FPDB40PH60		n Number Mfr Item Name				Effective Date	e Ver	Version Manufacturing Site		v	Veight*	UOM	Unit Type		
			PH60B	B SPM3V CON 600V 40A SB			2024-04-25 CPA			1	6492.363	mg	Each			
/anufa	cturing Proccess Informa	tion														
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020 M		-STD-020 MS	L Rating	Peak Process Body Temperat		ure Max Time at Peak Ter		Temperatu	ire Numbe	er of Reflow Cyc	cles		
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30		second	is 3					
omments	3															
or more	information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	67.7	mg	Supplier	Silicon (Si)	7440-21-3		67.7	mg
Die Attach	31.4	mg	Supplier	Silver (Ag)	7440-22-4		0.785	mg
			Supplier	Tin (Sn)	7440-31-5		29.045	mg
			Supplier	Copper (Cu)	7440-50-8		1.57	mg
Die Attach2	0.163	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0049	mg
			Supplier	Miscellaneous	Trade Secret		0.0082	mg
			Supplier	Silver (Ag)	7440-22-4		0.1386	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0114	mg
Heat Sink	1880.0	mg	Supplier	Aluminum (Al)	7429-90-5		1880	mg
Lead Frame	4318.38	mg	Supplier	Silver (Ag)	7440-22-4		1.47	mg
			Supplier	Iron (Fe)	7439-89-6		5.18	mg
			Supplier	Copper (Cu)	7440-50-8		4309.998	mg
			Supplier	Phosphorus (P)	7723-14-0		1.73	mg
Mold Compound-Black	ck 10122.0	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		303.66	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2024.4	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		253.05	mg
			Supplier	Carbon Black (C)	1333-86-4		101.22	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		7439.6699	mg
Plating	53.3	mg	Supplier	Tin (Sn)	7440-31-5		53.3	mg
Wire Bond - Al	18.3	mg	Supplier	Aluminum (Al)	7429-90-5		18.3	mg
Wire Bond - Au	1.12	mg	Supplier	Gold (Au)	7440-57-5		1.12	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).