ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES INDUSTRIES	Omposition De 005. IPC, Bannockt Id Pan-American co	c laration ourn, Illinois. A opyright conver	ll rights reserved untions.	nder both	This docume level parts, t	ent is a declaration he declaration er	on of the substand acompasses all lo	ces within the mar wer level material	ufacturer liste s for which the	d item. Note: i e manufacturer	f the item is an as r has engineering	ssembly with low responsibility.	
	1 IPC Web Site for Information on IPC-1752 Standard Form Ty			Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				Materials and	ials and Mfg Information			
upplier Information													
Company name*			Company unique ID			Unique ID Authority				Response Date*			
onsemi						,				2025-06-06			
Contact Name Title - Conta			ontact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards P			Product Enviro Compliance			NA			Prod	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title			Fitle - Representative			Phone - Representative*			Emai	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA			Prod	Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Iter		n Number Mfr Item Name				Effective Date	Version	Manufacturing	Site	Weight*	UOM	Unit Type	
	FQAF16	FQAF16N50 QF 500V 320m0		hm TO3PF		2025-06-06 CPA		СРА		5601.57	mg	Each	
Ianufacturing Proccess Info	rmation					•	-	-					
Terminal Plating / Grid Arra	Terminal Plating / Grid Array Material Terminal Base		Alloy J	J-STD-020 MSL Rating		Peak Process Body Temperature Max Time at I		at Peak Tempe	ak Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed		CU Alloy NA			0 C 30		sec	seconds 3					
omments													
or more information regarding mat	erial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.19	mg	Supplier	Silicon (Si)	7440-21-3		6.19	mg
Die Attach	1.84	mg	Supplier	Silver (Ag)	7440-22-4		0.0276	mg
			А	Lead (Pb)	7439-92-1	7a	1.7204	mg
			Supplier	Tin (Sn)	7440-31-5		0.092	mg
Lead Frame	2760.21	mg	Supplier	Silver (Ag)	7440-22-4		6.62	mg
			Supplier	Iron (Fe)	7439-89-6		2.76	mg
			Supplier	Copper (Cu)	7440-50-8		2750.0027	mg
			Supplier	Phosphorus (P)	7723-14-0		0.8273	mg
Mold Compound-Black	2807.7	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		84.3001	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		562.0004	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		70.3	mg
			Supplier	Carbon Black (C)	1333-86-4		21.1	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2069.9993	mg
Plating	22.9	mg	Supplier	Tin (Sn)	7440-31-5		22.9	mg
Wire Bond - Al	2.73	mg	Supplier	Aluminum (Al)	7429-90-5		2.73	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).